

2011

SUPER DUTY®



Specifications

ford.com



STANDARD FEATURES

MECHANICAL

90,000-mile tune-up interval ¹ (gas engines)
Battery saver
Brakes — Vacuum-boost (SRW gas and F-250 SRW diesel)
Brakes — Hydro-boost (F-350 SRW diesel and DRW)
Conventional spare tire/wheel/jack with underframe carrier (crank-down type)
Engine-only traction control (EOTC) (DRW only)
Fail-Safe Engine Cooling System (gas engines)
Fuel tank — 26-gallon capacity (F-250/F-350 137-in., 142-in. and 156-in. WB with diesel engine)
Fuel tank — 35-gallon capacity (gas engine only)
Fuel tank — 37.5-gallon capacity (F-250/F-350 158-in. and 172-in. WB with diesel engine, and F-450)
Power steering
Quick-release tailgate with tailgate assist
Stabilizer bar — Front
Stabilizer bar — Rear (DRW only)
Stainless steel exhaust system (major components)
Stationary elevated idle control (SEIC) ²
Steering damper
Styleside box
Tire Pressure Monitoring System (SRW only; excludes spare)
Trailer hitch receiver — 12.5K (2-in.) Built Ford Tough® (SRW)
Trailer hitch receiver — 14K (2.5-in.) Built Ford Tough ³ (SRW diesel with 156-in., 158-in. and 172-in. WB only)
Trailer hitch receiver — 15K (2.5-in.) Built Ford Tough ³ (F-350 DRW 137-in. and 158-in. WB only)
Trailer hitch receiver — 17.5K (2.5-in.) Built Ford Tough ³ (F-350 DRW 172-in. WB and F-450 only)
Trailer sway control

INTERIOR

Assist and ride handles
Coat hooks — 1 (Regular Cab); 2 in rear of cab (SuperCab and Crew Cab)
Dome light (front and rear with Crew Cab)
Flip-open rear quarter windows (SuperCab)
Overhead console with garage door opener storage and sunglasses storage (SuperCab and Crew Cab)
Powerpoints on instrument panel (2)
Tilt/telescoping steering column

HD Radio is a proprietary trademark of iBiquity Digital Corp.

Microsoft is a registered trademark of Microsoft Corporation.

The Bluetooth word mark is a trademark of the Bluetooth SIG, Inc.

Windows is a registered trademark of Microsoft Corporation.

DeWALT is a registered trademark of The Black & Decker Corporation.

Garmin is a registered trademark of Garmin Ltd.

Master Lock is a registered trademark of Master Lock Company LLC.

Microlise is a registered trademark of Microlise Limited.

Rancho is a registered trademark of Tenneco Automotive Operating Company Inc.

EXTERIOR

“3-blink” lane change signal
7-/4-pin trailer tow connector and trailer brake wiring kit (in-cab; no controller)
Cargo box rail and tailgate top moldings
Cargo box stake pockets
Cargo tie-down hooks (4 in 6¾-ft. box; 6 in 8-ft. box)
Dual-beam jewel-effect headlamps
Front and rear step bumpers
Integrated cargo box lamp with center high-mounted stop lamp
Partitionable and stackable cargo box
Roof clearance lamps (DRW)
Solar-tinted glass
Tow hooks (2 in front)
Underhood service lamp
Windshield wipers — Intermittent

SAFETY & SECURITY

4-wheel power disc brakes with Anti-Lock Brake System (ABS)
Airbags ⁴ — Driver and right-front-passenger front
Airbags ⁴ — Front-seat side
Airbags ⁴ — Safety Canopy® System with roll-fold side-curtain airbags
AdvanceTrac® with RSC® (Roll Stability Control™) (SRW only)
Belt-Minder® front safety belt reminder
Brake/shift interlock
Child-safety-seat top tether anchors (Regular Cab front passenger and all rear-seat positions)
Fuel pump inertia shutoff switch
Headlamps-on, key-in-ignition and door ajar alert chimes
Height-adjustable safety belts at front-outboard positions
Locking tailgate
Passenger airbag deactivation switch (Regular Cab, SuperCab)
Safety belt energy-management retractors at front-outboard positions
SecuriLock® Passive Anti-Theft System
Side-intrusion door beams
SOS Post-Crash Alert System™
Spare tire/wheel lock

New Vehicle Limited Warranty. We want your Ford F-Series Super Duty® ownership experience to be the best it can be. So under this warranty, your new vehicle comes with 3-year/36,000-mile bumper-to-bumper coverage, 5-year/60,000-mile Powertrain Warranty coverage, 5-year/50,000-mile safety restraint coverage, and 5-year/unlimited-mile corrosion (perforation) coverage — all with no deductible. The Power Stroke diesel engine gets 5-year/100,000-mile Warranty Coverage. Please ask your Ford Dealer for a copy of this limited warranty.

Roadside Assistance. Covers your vehicle for 5 years or 60,000 miles, so you have the security of knowing that help may be only a phone call away should you run out of fuel, lock yourself out of the vehicle, or need towing. Your Ford Dealer can provide complete details on all of these advantages.

Ford Credit. Get the ride you want. Whether you plan to lease or finance, you’ll find the choices that are right for you at Ford Credit. Ask your Ford Dealer for details or check us out at fordcredit.com.

Ford Extended Service Plan. For a purchase or lease, the Ford Extended Service Plan (ESP) gives you “Peace-of-Mind” protection designed to cover key vehicle components and protect you from the cost of unexpected repairs. Ask your dealer for a Ford ESP, the only service contract backed exclusively by Ford and honored at all Ford dealerships.

Insurance Services. Get Ford Motor Company quality in your auto insurance. Our program offers industry-leading benefits and competitive rates. Call 1-877-367-3847, or visit us at fordvip.com for a no-obligation quote. Insurance offered by American Road Services Company (in CA, American Road Insurance Agency), a licensed agency and subsidiary of Ford Motor Company.

Comparisons based on 2011 competitive models (class is Full-Size Pickups over 8,500 lbs. GVWR), publicly available information and Ford certification data at time of release. Some features discussed may be optional. Vehicles throughout this PDF are shown with optional and aftermarket equipment. Features shown may be offered only in combination with other options or subject to additional ordering requirements or limitations. Dimensions and capacity ratings shown may vary due to optional features and/or production variability. Following publication of the catalog, certain changes in standard equipment, options and the like, or product delays may have occurred which would not be included in these pages. Your Ford Dealer is the best source for up-to-date information. Ford Division reserves the right to change product specifications at any time without incurring obligations. Body manufacturers are responsible for compliance certification of the completed vehicle. The Ford New Vehicle Limited Warranty and any government certification made by Ford shall cover only the vehicle as manufactured by Ford and shall not extend to any addition, modification or change of or to the vehicle by the Ford Authorized Pool Account.

¹Under normal driving conditions with routine fluid and filter changes. ²Final-stage manufacturer must supply control switches. ³Vehicles with standard 2.5-in. receiver hitch are also equipped with a 2.0-in. reducer sleeve. ⁴Always wear your safety belt and always deactivate the passenger airbag when using a rear-facing child-safety seat in Regular Cab and SuperCab models. Always wear your safety belt and always secure children in the rear seat in Crew Cab models.



STANDARD FEATURES



XL

Includes all standard features, plus:

MECHANICAL

6.2L SOHC 2-valve Gas V8 Flex Fuel E85-capable engine (n/a on F-450)

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (standard on F-450)

TorqShift® Heavy-Duty 6-speed SelectShift Automatic™ transmission

17-in. argent-painted steel wheels (F-250/F-350)

17-in. forged polished-aluminum wheels (F-450)

LT245/75R17 all-season BSW tires

Integrated trailer brake controller (DRW)

Manual 4-Wheel-Drive System with manual locking hubs (4x4 models only)

SEATING

40/20/40 split HD vinyl front seat with armrest, cupholders and storage

60/40 split flip-up rear seat (SuperCab only)

60/40 split flip-up/fold-down rear bench seat with outboard and center head restraints (Crew Cab only)

Lumbar support for driver's seat

INTERIOR

AM/FM stereo with digital clock and 2 speakers

Black urethane steering wheel

Black vinyl floor covering

Manual air conditioning

Manual day/night rearview mirror

Multifunction message center plus trip computer includes 3-button steering wheel switch, odometer, trip odometer, engine oil monitor, engine-hour meter, engine idle hour meter (6.2L Gas only), distance to empty, average fuel economy, warning messages, system check, language selection and Ice Blue™ lighting

Visors with passenger mirror

EXTERIOR

6-in. angular Black molded cab steps (DRW only)

Black bar-style grille

Black box top and tailgate moldings

Black door handles

Black-painted bumpers with grained top cover

Manually telescoping trailer tow mirrors with 2-way fold and manual glass



XLT

Includes all XL features, plus:

MECHANICAL

17-in. 5-spoke cast-aluminum wheels (SRW)

Integrated trailer brake controller (SRW)

SEATING

40/20/40 split front seat with center under-seat lockable storage with 12-volt powerpoint and center armrest with cupholders and storage

60/40 split flip-up/fold-down rear bench seat with bag hooks, dual integrated cupholders and tray, outboard head restraints, center head restraint and lockable under-seat partitioned storage with 12-volt powerpoint (Crew Cab only)

INTERIOR

Accessory delay for power features

AM/FM stereo/single-CD player with MP3 capability, digital clock and 4 speakers

Auxiliary audio input jack

Cruise control

Color-coordinated floor covering (carpet)

Color-coordinated floor mats (carpet)

MyKey® owner controls feature

Power door locks

Power windows with one-touch-down driver's side window feature

Visors with covered driver and passenger mirrors

EXTERIOR

Chrome bar-style grille

Chrome bumpers with grained top cover

Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals

Perimeter anti-theft alarm

Privacy glass (rear doors and rear window)

Remote Keyless Entry System with 2 integrated keyhead transmitter remotes



LARIAT

Includes all XLT features, plus:

MECHANICAL

Electronic shift-on-the-fly (ESOF) 4-Wheel-Drive System with auto/manual locking hubs (4x4 models only)

17-in. forged polished-aluminum wheels (F-350 DRW)

18-in. bright-machined cast-aluminum wheels (SRW)

LT275/65R18 all-season BSW tires (SRW)

Reverse Vehicle Aid Sensor

SEATING

40/console/40 leather-trimmed front bucket seats and flow-through center console with lockable storage, two 12-volt powerpoints and a 110-volt power inverter

Power 10-way driver and front-passenger seats

INTERIOR

Air conditioning with dual-zone electronic automatic temperature control

Auto-dimming rearview mirror

Color-coordinated leather-wrapped steering wheel with secondary audio controls

Driver-configurable enhanced information center with LCD productivity screen includes gauge setup, compass, trip computer, fuel economy and towing/off-road applications, SelectShift controls, Ice Blue lighting, halo lighting, daytime illumination and 5-button steering wheel-mounted switch

Ford SYNC® voice-activated, in-vehicle connectivity system

Power-adjustable pedals

Premium Sound System includes AM/FM stereo/single-CD player with MP3 capability, digital clock and 8 speakers with subwoofer

SIRIUS® Satellite Radio with 6-month introductory subscription

Visors with illuminated driver and passenger mirrors

Woodgrain-style instrument panel accents

EXTERIOR

5-in. chrome tubular cab steps (DRW)

Autolamp with rainlamp feature

Body-color door handles

Fog lamps

PowerScope™ power-telescoping/-folding trailer tow mirrors with power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signal indicators

Power-sliding rear window with privacy glass

SecuriCode™ keyless entry keypad



KING RANCH®

Includes all LARIAT features, plus:

SEATING

Chaparral leather-trimmed front seats with flow-through center console

Easy entry/exit driver's seat memory feature

Heated/cooled driver and front-passenger seats

INTERIOR

Chaparral leather-wrapped steering wheel with secondary audio controls

Color-coordinated floor mats with King Ranch logo (carpet)

Memory Group includes memory feature on power trailer tow mirrors, power 10-way driver's seat, and adjustable pedals

Rear view camera

Remote Start System

Unique woodgrain-style instrument panel accents

Universal garage door opener

EXTERIOR

Accent-color box top and tailgate moldings

Accent-color monochromatic bumpers

Accent-color wheel-lip moldings (SRW)

Body-color bodyside moldings (SRW)

Body-color grille surround with chrome insert

Illuminated accent-color cab steps with bright insert

PowerScope power-telescoping/-folding trailer tow mirrors with memory, power/heated glass, heated manual spotter mirrors, integrated clearance lamps and turn signal indicators with body-color mirror caps

Two-tone lower-accent paint

XL



Argent-Painted Steel Wheels
17-in. Standard on F-250/F-350 SRW
18-in. Optional on F-350 SRW



17-in. Argent-Painted Steel Wheels
Standard on F-350 DRW



17-in. Argent-Painted Steel Wheels
with Stainless Steel Covers
Optional on F-350 DRW



17-in. Forged Polished-Aluminum
Wheels
Standard on F-450 DRW



17-in. 5-Spoke Cast-Aluminum Wheels
Optional on F-250/F-350 SRW



17-in. Argent-Painted Steel Wheels
with Bright Center Cap
included on F-250/F-350
with XL Value Package



XL Regular Cab in Steel HD Vinyl with available equipment



F-250 XL Regular Cab 4x2 in Oxford White with available equipment

2011

SUPER DUTY®

Specifications

ford.com



XL OPTIONAL FEATURES

MECHANICAL

- 6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (standard on F-450)
- Electronic shift-on-the-fly (ESOF) 4-Wheel-Drive System with auto/manual locking hubs (4x4 models only)
- 17-in. 5-spoke cast-aluminum wheels — 4 (F-250/F-350 SRW)
- 18-in. argent-painted steel wheels — 4 (F-350 SRW)
- Stainless steel wheel covers (require 17-in. argent-painted steel wheels)¹
- LT245/75R17 all-terrain BSW tires — 5
- LT265/70R17 all-terrain OWL tires — 4 (F-250/F-350 SRW)
- LT275/65R18 all-season BSW tires — 5 (F-350 SRW)
- LT275/70R18 all-terrain BSW tires — 4 (F-350 SRW)
- 5th-Wheel/Gooseneck Trailer Tow Prep Package includes 1 under-bed-frame crossmember, 5 pickup bed 5th-wheel/gooseneck attachment points and close-out plugs, and an integrated 7-pin connector on the driver's side pickup bed wall
- 5th-wheel hitch kit (requires 8-ft. box)²
- Gooseneck hitch kit (requires 8-ft. box)²
- Alternator — Single, extra-heavy-duty 200-amp (diesel engine only)
- Alternators — Dual, 357-amp total (diesel engine only)
- Engine block heater (standard in 15 cold-weather states)
- Integrated trailer brake controller (standard on F-350 DRW/F-450)
- Operator Commanded Regeneration (diesel engine only)
- Power takeoff (PTO) provision allows transmission-mounted live drive and stationary modes (diesel engine only)
- Rear axle — Electronic-locking (F-250/F-350 SRW only)
- Rear axle — Higher-ratio (gas engine only)
- Rear axle — Limited-slip (F-350 DRW only; standard on F-450)

SEATING

- 40/mini-console/40 front bucket seats (HD vinyl or cloth)

INTERIOR

- AM/FM stereo/single-CD player with MP3 capability, digital clock and 4 speakers³ (Fleet only on F-250/F-350)
- Auxiliary audio input jack (requires CD)
- Ford SYNC® voice-activated, in-vehicle connectivity system (requires XL Value Package and steering wheel-mounted audio controls)
- Rapid-heat supplemental cab heater (requires diesel engine and alternator upgrade)
- Remote Start System (requires Power Equipment Group)
- Steering wheel-mounted audio controls (requires SYNC)
- Upfitter switches located on instrument panel (4)

EXTERIOR

- 6-in. angular Black molded cab steps (standard on DRW)
- Bed mat (restrictions apply)
- Exterior back-up alarm
- Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals⁴
- Pickup box delete (F-250/F-350 only; requires 8-ft. box; n/a with 20-in. wheels or FX4 OFF-ROAD Package)
- Roll-up tonneau cover¹
- Roof clearance lamps (standard on DRW)
- Splash guards/mud flaps (front and rear on SRW; rear only on DRW)
- Tailgate step includes step, tailgate assist and grab bar
- ToughBed® spray-in bedliner includes tailgate guard and black bed bolts

FORD WORK SOLUTIONS™

- In-dash Windows® CE computer with touch screen navigation and hands-free calling (restrictions apply)¹
- Cable Lock by Master Lock®¹
- Crew Chief™ — Fleet tracking system (n/a with in-dash computer)¹
- Tool Link™ (requires in-dash computer; restrictions apply)¹

PACKAGES

- XL Value Package** includes AM/FM stereo/single-CD player with MP3 capability, digital clock, 4 speakers, cruise control, chrome bumpers and MyKey® owner controls feature
- See page 12 for content of the following packages:
- 10,000-lb. GVWR Package** (F-350 SRW) **Heavy-Service Front Suspension Package**
- Camper Package** (restrictions apply) **Power Equipment Group**
- FX4 OFF-ROAD Package** **Snow Plow Prep Package** (4x4 only; restrictions apply)

¹Ford Licensed Accessory. See your dealer for limited warranty details. ²Requires 5th-Wheel/Gooseneck Trailer Tow Prep Package. See your dealer for details. ³Included as part of XL Value Package. ⁴Included as part of Power Equipment Group.

Colors shown are representative only. See your dealer for actual paint/trim options. Fabric patterns and colors are subject to change or substitution without notice.

EXTERIOR



Oxford White



Dark Blue Pearl Metallic



Ingot Silver Metallic



Tuxedo Black Metallic



Vermillion Red



Forest Green Metallic




Sterling Gray Metallic




Pale Adobe Metallic (Fleet only)

INTERIOR



Steel HD Vinyl Standard




Steel Cloth Optional

EXTERIOR COLORS

Oxford White	■	●
Vermillion Red	■	●
Dark Blue Pearl Metallic	■	●
Forest Green Metallic	■	●
Ingot Silver Metallic	■	●
Sterling Gray Metallic	■	●
Tuxedo Black Metallic	■	●
Pale Adobe Metallic	■	●

INTERIORS: ■ Steel HD Vinyl ● Steel Cloth

SEATING, BOX AND CAB CONFIGURATIONS



XLT



17-in. 5-Spoke Cast-Aluminum Wheels
Standard on F-250/F-350 SRW



17-in. Argent-Painted Steel Wheels
Standard on F-350 DRW



17-in. Argent-Painted Steel Wheels
with Stainless Steel Covers
Optional on F-350 DRW



17-in. Forged Polished-Aluminum Wheels
Standard on F-450 DRW/Optional on F-350 DRW



18-in. Cast-Aluminum Wheels
Optional on F-250/F-350 SRW



20-in. Premium Cast-Aluminum Wheels
Optional on F-250/F-350 SRW



XLT Crew Cab in Steel Cloth with flow-through center console and available equipment



F-250 XLT SuperCab 4x4 in Tuxedo Black with available equipment

2011

SUPER DUTY®

Specifications

ford.com



XLT OPTIONAL FEATURES

MECHANICAL

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (standard on F-450)
Electronic shift-on-the-fly (ESOF) 4-Wheel-Drive System with auto/manual locking hubs (4x4 models only)
17-in. forged polished-aluminum wheels — 4 (F-350 DRW)
18-in. cast-aluminum wheels — 4 (F-250/F-350 SRW)
Stainless steel wheel covers (require 17-in. argent-painted steel DRW wheels) ¹
20-in. premium cast-aluminum wheels — 4 (F-250/F-350 SRW 4x4 diesel engine only; SuperCab and Crew Cab only)
LT245/75R17 all-terrain BSW tires — 5 (F-350 DRW/F-450)
LT245/75R17 all-terrain OWL tires — 4 (F-350 DRW/F-450)
LT265/70R17 all-terrain OWL tires — 4 (F-250/F-350 SRW)
LT275/65R18 all-season BSW tires — 5 (F-250/F-350 SRW)
LT275/70R18 all-terrain BSW tires — 4 (F-250/F-350 SRW 4x4)
LT275/70R18 all-terrain OWL tires — 4 (F-250/F-350 SRW 4x4)
LT275/65R20 all-terrain OWL tires — 4 (F-250/F-350 SRW 4x4; SuperCab and Crew Cab only; diesel engine only)
5th-Wheel/Gooseneck Trailer Tow Prep Package includes 1 under-bed-frame crossmember, 5 pickup bed 5th-wheel/gooseneck attachment points and close-out plugs, and an integrated 7-pin connector on the driver-side pickup bed wall (n/a with stowable bed extender)
5th-wheel hitch kit (requires 8-ft. box) ²
Gooseneck hitch kit (requires 8-ft. box) ²
Alternator — Single, extra-heavy-duty 200-amp (diesel engine only)
Alternators — Dual, 357-amp total (diesel engine only)
Engine block heater (standard in 15 cold-weather states)
Operator Commanded Regeneration (diesel engine only; n/a with XLT Premium Package)
Power takeoff (PTO) provision allows transmission-mounted live drive and stationary modes (diesel engine only)
Rear axle — Electronic-locking (F-250/F-350 SRW only)
Rear axle — Higher-ratio (gas engine only)
Rear axle — Limited-slip (F-350 DRW; standard on F-450)
Reverse Vehicle Aid Sensor (n/a with pickup box delete)

SEATING

40/console/40 front bucket seats and flow-through console with lockable storage, two 12-volt powerpoints and a 110-volt power inverter (SuperCab and Crew Cab only)
Power 6-way driver's seat (requires 40/console/40 front bucket seats)

INTERIOR

Black all-weather floor mats (deletes carpeted floor mats)
Ford SYNC® voice-activated, in-vehicle connectivity system (requires XLT Interior Package and steering wheel-mounted audio controls)
Rapid-heat supplemental cab heater (requires diesel engine and alternator upgrade)
Rear view camera (requires XLT Interior Package)
Remote Start System
SIRIUS Satellite Radio with 6-month introductory subscription
Steering wheel-mounted audio controls (requires SYNC)
Upfitter switches located on instrument panel (4)

EXTERIOR

Bed mat (restrictions apply)
Body-color bodyside moldings (SRW only)
Cab steps — 6-in. angular Black molded (standard on DRW)
Cab steps — 5-in. chrome tubular (SuperCab and Crew Cab only)
Exterior back-up alarm
Manual-sliding rear window with privacy glass (Regular Cab only)
Pickup box delete (F-250/F-350 only; requires 8-ft. box; n/a with 20-in. wheels or FX4 OFF-ROAD Package)
PowerScope™ power-telescoping/-folding trailer tow mirrors with power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals
Power-sliding rear window with privacy glass (SuperCab and Crew Cab only)
Roll-up tonneau cover ¹
Roof clearance lamps (standard on DRW)
Splash guards/mud flaps (front and rear on SRW; rear only on DRW)
Stowable bed extender (F-250/F-350 SRW only)
Tailgate step includes step, tailgate assist and grab bar
ToughBed® spray-in bedliner includes tailgate guard and black bed bolts

FORD WORK SOLUTIONS™

See XL model page for content.

PACKAGES

See page 12 for content of the following packages:

XLT Appearance Package	XLT Interior Package
XLT Premium Package	
10,000-lb. GVWR Package (F-350 SRW)	FX4 OFF-ROAD Package
Camper Package (restrictions apply)	Heavy-Service Front Suspension Package
Chrome Package	Snow Plow Prep Package

¹Ford Licensed Accessory. See your dealer for limited warranty details. ²Requires 5th-Wheel/Gooseneck Trailer Tow Prep Package. See your dealer for details.

EXTERIOR















	
Oxford White	Vermillion Red
	
Dark Blue Pearl Metallic	Forest Green Metallic
	
Ingot Silver Metallic	Sterling Gray Metallic
	
Tuxedo Black Metallic	Royal Red Metallic
	
Golden Bronze Metallic	Pale Adobe Metallic (restrictions apply)



INTERIOR


Adobe Cloth


Steel Cloth

EXTERIOR COLORS

	INTERIOR COLORS	
Oxford White		
Vermillion Red		
Dark Blue Pearl Metallic		
Forest Green Metallic		
Ingot Silver Metallic		
Sterling Gray Metallic		
Tuxedo Black Metallic		
Royal Red Metallic		
Golden Bronze Metallic		
Pale Adobe Metallic		

INTERIORS:  Adobe Cloth  Steel Cloth

SEATING, BOX AND CAB CONFIGURATIONS



Colors shown are representative only. See your dealer for actual paint/trim options. Fabric patterns and colors are subject to change or substitution without notice.



LARIAT



F-450 in White Platinum Tri-coat/Pale Adobe Two-Tone with available equipment



17-in. Forged Polished-Aluminum Wheels
Standard on F-350 DRW/F-450



18-in. Bright-Machined
Cast-Aluminum Wheels
Standard on F-250/F-350 SRW



20-in. Premium Cast-Aluminum Wheels
Optional on F-250/F-350 SRW



Crew Cab in Black Leather trim with available equipment

2011 **SUPER DUTY®**

Specifications

ford.com



LARIAT[®] OPTIONAL FEATURES

MECHANICAL

6.7L Power Stroke [®] V8 Turbo Diesel B20-capable engine (standard on F-450)
20-in. premium cast-aluminum wheels — 4 (F-250/F-350 SRW 4x4 diesel engine only)
LT245/75R17 all-terrain BSW tires — 5 (F-350 DRW/F-450)
LT245/75R17 all-terrain OWL tires — 4 (F-350 DRW/F-450)
LT275/70R18 all-terrain BSW tires — 4 (F-250/F-350 SRW 4x4)
LT275/70R18 all-terrain OWL tires — 4 (F-250/F-350 SRW 4x4)
LT275/65R20 all-terrain OWL tires — 4 (F-250/F-350 SRW 4x4)
5th-Wheel/Gooseneck Trailer Tow Prep Package includes 1 under-bed-frame crossmember, 5 pickup bed 5th-wheel/gooseneck attachment points and close-out plugs, and an integrated 7-pin connector on the driver's side pickup bed wall (n/a with stowable bed extender)
5th-wheel hitch kit (requires 8-ft. box) ¹
Gooseneck hitch kit (requires 8-ft. box) ¹
Alternator — Single, extra-heavy-duty 200-amp (diesel engine only)
Alternators — Dual, 357-amp total (diesel engine only)
Engine block heater (standard in 15 cold-weather states)
Power takeoff (PTO) provision allows transmission-mounted live drive and stationary modes (diesel engine only)
Rear axle — Electronic-locking (F-250/F-350 SRW only)
Rear axle — Higher-ratio (gas engine only)
Rear axle — Limited-slip (F-350 DRW; standard on F-450)

SEATING

40/20/40 split front seats, center under-seat lockable storage with 12-volt powerpoint, and center armrest with cupholders and storage
Heated/cooled driver and front-passenger seats (requires LARIAT Interior Package or LARIAT Ultimate Package)

INTERIOR

Black all-weather floor mats (deletes carpeted floor mats)
Navigation System with Premium Sound System includes HD Radio [™] technology, AM/FM stereo/single-CD player with MP3 capability, USB port, in-dash touch screen, voice-activated controls, SIRIUS Travel Link capability, digital clock and 8 speakers with subwoofer (requires rear view camera)
Rapid-heat supplemental cab heater (requires diesel engine and alternator upgrade)
Rear view camera
Remote Start System
Upfitter switches located on instrument panel (4)
Universal garage door opener

EXTERIOR

5-in. chrome tubular cab steps (standard on DRW)
Bed mat (restrictions apply)
Body-color bodyside moldings (SRW only)
Exterior back-up alarm
Power-sliding moonroof (Crew Cab only)
Power-sliding rear window with defrost
Roll-up tonneau cover ²
Roof clearance lamps (standard on DRW)
Skid plates on transfer case and fuel tank (included with FX4 OFF-ROAD Package)
Splash guards/mud flaps (front and rear on SRW; rear only on DRW)
Stowable bed extender (F-250/F-350 SRW only)
Tailgate step includes step, tailgate assist and grab bar
ToughBed [®] spray-in bedliner includes tailgate guard and black bed bolts
Two-tone lower-accent paint (includes accent-color wheel-lip moldings on SRW)

FORD WORK SOLUTIONS[™]

Cable Lock by Master Lock ^{®2}
Crew Chief [™] — Fleet tracking system (n/a with in-dash computer) ²

PACKAGES

LARIAT Interior Package includes rear view camera, easy entry/exit memory power heated/cooled driver's seat, power heated/cooled front-passenger seat, memory power trailer tow mirrors, memory power-adjustable pedals, and Remote Start System

LARIAT Ultimate Package includes easy entry/exit memory power heated/cooled driver's seat; power heated/cooled passenger seat; memory power trailer tow mirrors; memory power-adjustable pedals; moonroof; Navigation System; rear view camera; tailgate step; and Remote Start System (Crew Cab only; restrictions apply)

See page 12 for content of the following packages:

10,000-lb. GVWR Package (F-350 SRW)	FX4 OFF-ROAD Package
Camper Package (restrictions apply)	Heavy-Service Front Suspension Package
Chrome Package (other restrictions apply)	Snow Plow Prep Package (4x4 only; restrictions apply)

¹Requires 5th-Wheel/Gooseneck Trailer Tow Prep Package.

²Ford Licensed Accessory. See your dealer for limited warranty details.

Colors shown are representative only. See your dealer for actual paint/trim options. Fabric patterns and colors are subject to change or substitution without notice.


EXTERIOR

	
Oxford White Pale Adobe or Sterling Gray Two-Tone optional	Vermillion Red
	
Dark Blue Pearl Metallic Sterling Gray Two-Tone optional	Forest Green Metallic Pale Adobe or Sterling Gray Two-Tone optional
	
Ingot Silver Metallic Sterling Gray Two-Tone optional	Sterling Gray Metallic
	
Tuxedo Black Metallic Pale Adobe or Sterling Gray Two-Tone optional	Royal Red Metallic Pale Adobe Two-Tone optional
	
Golden Bronze Metallic Pale Adobe Two-Tone optional	White Platinum Metallic Tri-Coat Pale Adobe Two-Tone optional

EXTERIOR COLORS	INTERIOR COLORS	TWO-TONE COLORS
Oxford White	■	▲ ▲
Vermillion Red	■	
Dark Blue Pearl Metallic	■	▲
Forest Green Metallic	■	▲ ▲
Ingot Silver Metallic	■	▲
Sterling Gray Metallic	■	
Tuxedo Black Metallic	■	▲ ▲
Royal Red Metallic	■	▲
Golden Bronze Metallic	■	▲
White Platinum Metallic Tri-coat	■	▲
Pale Adobe Metallic	■	

INTERIORS:	■ Adobe Leather	■ Black Leather
TWO-TONE COLORS:	▲ Pale Adobe Metallic	▲ Sterling Gray Metallic ³
³ Only available with Black Leather interior.		

SEATING, BOX AND CAB CONFIGURATIONS



2011

SUPER DUTY[®]

Specifications

ford.com



KING RANCH®



Crew Cab in Chaparral Leather trim with Black environment and available equipment



17-in. Forged Polished-Aluminum Wheels
Included on F-350 DRW/F-450



18-in. Bright-Machined Cast-Aluminum Wheels
Included on F-250/F-350 SRW



20-in. Premium Painted Cast-Aluminum Wheels
Optional on F-250/F-350 SRW



F-450 Crew Cab 4x4 in Royal Red with Chrome Package and available equipment

2011 **SUPER DUTY®**

Specifications

ford.com



KING RANCH® OPTIONAL FEATURES

MECHANICAL

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (standard on F-450)
20-in. premium cast-aluminum wheels — 4 (F-250/F-350 SRW 4x4 diesel engine only)
LT275/65R20 all-terrain OWL tires — 4 (F-250/F-350 SRW 4x4)
5th-Wheel/Gooseneck Trailer Tow Prep Package includes 1 under-bed-frame crossmember, 5 pickup bed 5th-wheel/gooseneck attachment points and close-out plugs, and an integrated 7-pin connector on the driver's side pickup bed wall (n/a with stowable bed extender)
5th-wheel hitch kit (requires 8-ft. box) ¹
Gooseneck hitch kit (requires 8-ft. box) ¹
Alternator — Single, extra-heavy-duty 200-amp (diesel engine only)
Alternators — Dual, 357-amp total (diesel engine only)
Engine block heater (standard in 15 cold-weather states)
Power takeoff (PTO) provision allows transmission-mounted live drive and stationary modes (diesel engine only)
Rear axle — Electronic-locking (F-250/F-350 SRW only)
Rear axle — Higher-ratio (gas engine only)
Rear axle — Limited-slip (F-350 DRW/F-450 only)

INTERIOR

Black all-weather floor mats (deletes carpeted floor mats)
Navigation System with Premium Sound System includes HD Radio™ technology, AM/FM stereo/single-CD player with MP3 capability, USB port, in-dash touch screen, voice-activated controls, SIRIUS Travel Link capability, digital clock and 8 speakers with subwoofer
Rapid-heat supplemental cab heater (requires diesel engine and alternator upgrade)
Upfitter switches located on instrument panel (4)

EXTERIOR

Bed mat (restrictions apply)
Exterior back-up alarm
Power-sliding moonroof
Power-sliding rear window with defrost
Roll-up tonneau cover ²
Roof clearance lamps (standard on DRW)
Splash guards/mud flaps (front and rear on SRW; rear only on DRW)
Stowable bed extender (F-250/F-350 SRW only)
Tailgate step includes step, tailgate assist and grab bar
ToughBed® spray-in bedliner includes tailgate guard and black bed bolts

FORD WORK SOLUTIONS™

Cable Lock by Master Lock® ²
Crew Chief™ — Fleet tracking system

PACKAGES

KING RANCH with Chrome Package includes chrome exhaust tip, chrome tow hooks, unique chrome mirror caps, chrome cargo tie-down hooks and 6-in. chrome angular step bars

See page 12 for content of the following packages:

10,000-lb. GVWR Package (F-350 SRW)

Camper Package (restrictions apply)

FX4 OFF-ROAD Package


Heavy-Service Front Suspension Package

Snow Plow Prep Package (4x4 only; restrictions apply)

¹Requires 5th-Wheel/Gooseneck Trailer Tow Prep Package.

²Ford Licensed Accessory. See your dealer for limited warranty details.

EXTERIOR



Oxford White
Pale Adobe Two-Tone



Tuxedo Black Metallic
Pale Adobe Two-Tone




Golden Bronze Metallic
Pale Adobe Two-Tone



Forest Green Metallic
Pale Adobe Two-Tone



Royal Red Metallic
Pale Adobe Two-Tone



White Platinum Metallic Tri-coat
Pale Adobe Two-Tone

INTERIOR



Chaparral Leather

EXTERIOR COLORS	INTERIOR COLORS	TWO-TONE COLOR
Oxford White	■ ■	▲
Forest Green Metallic	■ ■	▲
Tuxedo Black Metallic	■ ■	▲
Royal Red Metallic	■ ■	▲
Golden Bronze Metallic	■ ■	▲
White Platinum Metallic Tri-coat	■ ■	▲

INTERIOR:

■ Chaparral Leather with Adobe Environment



■ Chaparral Leather with Black Environment

TWO-TONE COLOR: ▲ Pale Adobe Metallic

SEATING, BOX AND CAB CONFIGURATIONS



Standard 40/console/40
front bucket seats



Crew Cab

Colors shown are representative only. See your dealer for actual paint/trim options. Fabric patterns and colors are subject to change or substitution without notice.

2011 SUPER DUTY®

Specifications

ford.com



PACKAGES

10,000-lb. GVWR Package (F-350 SRW)

Camper Package

Includes front springs upgrade (unless maximum springs have been computer-selected as included equipment), rear stabilizer bar (SRW), slide-in-camper certification and auxiliary rear springs on F-250 (restrictions apply)

Chrome Package

Includes chrome exhaust tip, chrome tow hooks, unique chrome mirror caps, chrome cargo tie-down hooks, and 6-in. chrome angular step bars (requires PowerScope™ mirrors; SuperCab and Crew Cab only; other restrictions apply)

FX4 OFF-ROAD Package

Includes transfer case and fuel tank skid plates, Hill Descent Control™ (SRW only), Rancho® shocks and FX4 OFF-ROAD box decals (restrictions apply)

Heavy-Service Front Suspension Package

Includes front springs upgrade (unless maximum springs have been computer-selected as included equipment; restrictions apply)

Power Equipment Group

Includes power door locks and front windows (plus rear on Crew Cab) with one-touch-down driver's side window feature, heated sideview mirrors, accessory delay, Remote Keyless Entry System with 2 integrated keyhead transmitter remotes, and perimeter anti-theft alarm

Snow Plow Prep Package

Includes computer-selected springs for snow plow application and extra-heavy-duty alternator with diesel engine only (4x4 only; restrictions apply)


XLT PACKAGES

XLT Appearance Package includes fog lamps, 18-in. cast-aluminum wheels and Chrome Package (SRW SuperCab and Crew Cab only)

XLT Interior Package includes 6-way power driver's seat, power-adjustable pedals, autolamp/rainlamp, autolock, auto-unlock and SecuriCode™ keyless entry keypad

XLT Premium Package includes XLT Interior Package, Chrome Package, SYNC, LCD productivity screen, auto-dimming rearview mirror, compass, fog lamps and steering wheel-mounted audio controls (SRW SuperCab and Crew Cab only)

CLEANEST SUPER DUTY® DIESEL EVER



The Ford 6.7L Power Stroke® V8 Turbo Diesel engine uses industry-proven technology and innovative Ford strategies to meet the latest federal emissions standards to reduce nitrogen oxide (NOx) levels by more than 80% compared to previous regulations.

COMBUSTION EFFICIENCY: The process begins in the engine, where combustion is optimized to help reduce emissions from the start.

CLEANING AND HEATING: When the exhaust stream enters the diesel oxidation catalyst (DOC), the hydrocarbons in it are converted and oxidized into water and carbon dioxide. Then things start heating up.

KNOCKING OUT THE NOx: Next, the exhaust stream is dosed with diesel exhaust fluid (DEF), a mixture of urea and water. In the process, the NOx in the exhaust stream is converted into inert nitrogen and water.

SCRUBBING AWAY THE SOOT: Finally, the diesel particulate filter (DPF) traps any remaining soot, which is then periodically burned away.

DOING YOUR PART: The fluid in the 5-gallon DEF reservoir is approximately consumed over the course of each oil change interval. To help make it easy for you to refill, the blue DEF fill cap is located right next to your green diesel fuel cap. The message center alerts you when there's about 800 miles worth of DEF remaining. Ford-approved DEF can be purchased from your Ford Dealer or other authorized retailers.



2011 SUPER DUTY®

Specifications

ford.com



FORD CUSTOM ACCESSORIES



NEW 5th Wheel Hitch Kit^{1,2}



NEW Gooseneck Hitch Kit²



All-Weather Floor Mats



Soft-Folding Tonneau Cover by Advantage³



Commercial-Grade Tool/Cargo Boxes by Delta³



Splash Guards

Also available:

Appearance

Chrome Exhaust Tip
Ford Custom Graphics by Original Wraps,TM Inc.³

Bed Products

Retractable Stake Pocket Tie-Down by Bull Accessories³
Bed Mat
Bedliners
Bed Tailgate Liner
Bed Extender
Sport Liner Carpeted Bed Protection by BedRug^{TM3}
Soft Roll-Up Tonneau Cover by TruXedo^{®3}
Hard-Folding Tonneau Cover by REV^{®3}

Electronics

Backup Alarm by ECCO^{®3}
Forward or Reverse Bumper-Mounted Parking Assist System by EchoMaster^{®3}
HitchScanTM Rear Park Assist Sensor and Hitch Step by EchoMaster³
Keyless Entry Keypad
Portable Navigation Systems by Garmin^{®3}
Remote Start Systems
GPS Tracking and Recovery by SmartAlert^{TM3}
Vehicle Security System
Dual Head Restraint DVD by INVISION^{TM3}

Exterior

Retractable Cable Lock by Master Lock^{®3}
Side Window Deflectors
Chrome Hitch Balls
Hitch Ball Mounts
Racks and Carriers by THULE^{®3}
Sportz[®] Tents by Napier³
Step Bars
Retractable Rear Step by Bestop³

Interior

Ashcup/Coin Holder with or without Lighter Element
Interior Soft Cargo Cooler Bag
Interior Soft Cargo Organizers (large and standard sizes)
Leather-Trimmed Interior Seating by Katzkin^{®3}
Protective Seat Covers by Covercraft^{®3}

Wheels

Stainless Steel Wheel Covers by Phoenix³
Wheel Locks

¹Shown with a spray-in bedliner. ²Only for use with 8-ft. bed.
³Ford Licensed Accessories.

SmartAlert is a registered trademark of Inilex, Inc.
INVISION is a trademark of Audiovox Corporation.
THULE is a registered trademark of Thule Sweden AB.
Katzkin is a registered trademark of Katzkin Leather Inc.

To learn more about Ford Custom Accessories and to buy them online, visit fordaccessories.com.

Genuine Ford Accessories will be warranted for whichever provides you the greatest benefit: 12 months or 12,000 miles (whichever occurs first), or the remainder of your Bumper-to-Bumper 3-year/36,000-mile New Vehicle Limited Warranty. Contact your local Ford Dealer for details and a copy of the limited warranty. Ford Licensed Accessories (FLA) are warranted by the accessory manufacturer's warranty. Ford Licensed Accessories are fully designed and developed by the accessory manufacturer and have not been designed or tested to Ford Motor Company engineering requirements. Contact your Ford Dealer for details regarding the manufacturer's limited warranty and/or a copy of the FLA product limited warranty offered by the accessory manufacturer.



2011 SUPER DUTY[®]

Specifications

ford.com



TECHNICAL SPECIFICATIONS

DIMENSIONS

EXTERIOR

	REGULAR CAB LWB 4x2/4x4	SUPERCAB SWB 4x2/4x4	LWB 4x2/4x4	CREW CAB SWB 4x2/4x4	LWB 4x2/4x4
A. Height – F-250 SRW (w/o options)	76.6"/79.2"	77.0"/79.5"	76.9"/79.3"	77.4"/79.7"	77.3"/79.8"
A. Height – F-350 SRW (w/o options)	76.5"/80.0"	76.9"/80.4"	76.7"/80.2"	77.2"/80.8"	77.2"/80.8"
A. Height – F-350 DRW (w/o options)	76.7"/79.5"	—	76.9"/79.7"	—	77.3"/79.9"
A. Height – F-450 DRW (w/o options)	—	—	—	79.7"	79.7"
B. Overall width – SRW (excl. mirrors)	79.9"	79.9"	79.9"	79.9"	79.9"
B. Overall width – DRW (excl. mirrors)	96.0"	—	96.0"	—	96.0"
B. Overall width – With mirrors	104.9"	104.9"	104.9"	104.9"	104.9"
B. Overall width – With mirrors extended	110.0"	110.0"	110.0"	110.0"	110.0"
C. Ground clearance – F-250 SRW	8.5"/8.2"	8.5"/8.2"	8.5"/8.1"	8.5"/8.1"	8.5"/8.1"
C. Ground clearance – F-350 SRW	8.5"/8.2"	8.5"/8.2"	8.5"/8.2"	8.5"/8.2"	8.5"/8.2"
C. Ground clearance – F-350 DRW	8.1"/8.0"	—	8.1"/8.0"	—	8.0"/8.0"
C. Ground clearance – F-450 DRW	—	—	—	—	8.0"
D. Load floor height – F-250 SRW	35.2"/36.3"	34.8"/35.6"	34.4"/35.4"	34.2"/35.1"	34.1"/35.0"
D. Load floor height – F-350 SRW	34.7"/38.5"	34.4"/37.9"	34.1"/38.0"	33.9"/37.8"	33.8"/37.7"
D. Load floor height – F-350 DRW	35.0"/36.4"	—	34.3"/35.7"	—	34.1"/35.6"
D. Load floor height – F-450 DRW	—	—	—	—	35.4"
E. Cargo box height	20.0"	20.0"	20.0"	20.0"	20.0"
F. Length	227.6"	232.4"	248.6"	246.8"	263.0"
G. Overhang – Rear	52.4"	52.4"	52.4"	52.4"	52.4"
H. Wheelbase	137.0"	141.8"	158.0"	156.2"	172.4"
I. Overhang – Front	38.1"	38.1"	38.1"	38.1"	38.1"
J. Angle of departure – F-250 SRW	17.8°/19.2°	17.4°/18.5°	17.0°/18.3°	16.7°/18.0°	16.7°/17.9°
J. Angle of departure – F-350 SRW	17.3°/21.5°	17.0°/20.9°	16.6°/21.1°	16.4°/20.8°	16.3°/20.8°
J. Angle of departure – F-350 DRW	17.6°/19.3°	—	16.9°/18.7°	—	16.7°/18.5°
J. Angle of departure – F-450 DRW	—	—	—	—	18.3°
K. Ramp breakover angle – F-250 SRW	17.5°/20.4°	16.9°/19.8°	15.8°/18.1°	15.7°/18.1°	15.0°/17.3°
K. Ramp breakover angle – F-350 SRW	17.2°/21.5°	16.7°/20.9°	15.6°/19.2°	15.5°/19.2°	14.8°/18.2°
K. Ramp breakover angle – F-350 DRW	17.5°/20.4°	—	15.9°/18.6°	—	15.0°/17.4°
K. Ramp breakover angle – F-450 DRW	—	—	—	—	17.0°
L. Angle of approach – F-250 SRW	18.0°/19.4°	18.1°/20.1°	18.7°/20.0°	18.7°/20.0°	18.9°/20.6°
L. Angle of approach – F-350 SRW	18.1°/18.8°	18.2°/19.5°	18.8°/19.3°	18.8°/19.3°	19.0°/20.0°
L. Angle of approach – F-350 DRW	18.2°/19.2°	—	19.0°/20.6°	—	19.1°/20.3°
L. Angle of approach – F-450 DRW	—	—	—	—	19.8°


INTERIOR

Front head room	40.7"	40.7"	40.7"	40.7"	40.7"
Front shoulder room	68.0"	68.0"	68.0"	68.0"	68.0"
Front hip room	67.6"	67.6"	67.6"	67.6"	67.6"
Front leg room	41.1"	41.1"	41.1"	41.1"	41.1"
Rear head room	—	38.1"	38.1"	40.8"	40.8"
Rear shoulder room	—	68.1"	68.1"	68.0"	68.0"
Rear hip room	—	67.3"	67.3"	67.6"	67.6"
Rear leg room	—	31.6"	31.6"	42.1"	42.1"

CARGO BOX

Volume (cu. ft.)	77.3	64.1	77.3	64.1	77.3
M. Width at floor (maximum)	69.3"	69.3"	69.3"	69.3"	69.3"
N. Length at floor	98.0"	81.8"	98.0"	81.8"	98.0"
O. Width at wheelhouse	50.9"	50.9"	50.9"	50.9"	50.9"

SRW = single rear wheel DRW = dual rear wheel SWB = short wheelbase (6¾' cargo box) LWB = long wheelbase (8' cargo box)



INTERIOR STORAGE (cu. ft.)

Front 40/20/40 split seat center under-seat lockable storage	0.36
Front flow-through center console main bin	1.23
Rear Crew Cab 60/40 split bench lockable under-seat storage	1.17

TRANSMISSION

Type	6-speed SelectShift Automatic™	
Case material	Aluminum	
PTO	Live-drive access on driver's side (diesel only)	
Gear ratios	1st	3.97:1
	2nd	2.32:1
	3rd	1.52:1
	4th	1.15:1
	5th	0.86:1
	6th	0.67:1
	Reverse	3.13:1

CONVENTIONAL TOWING – MAXIMUM LOADED TRAILER WEIGHT RATINGS (LBS.)

AUTOMATIC TRANSMISSION			REGULAR CAB					SUPERCAB					CREW CAB							
			F-250/ F-350 SRW 4x2	F-350 DRW 4x2	F-250 SRW 4x4	F-350 SRW 4x4	F-350 DRW 4x4	F-250/ F-350 SRW 4x2	F-350 DRW 4x2	F-250 SRW 4x4	F-350 SRW 4x4	F-350 DRW 4x4	F-250 SRW 4x2	F-350 SRW 4x2	F-350 DRW 4x2	F-250 SRW 4x4	F-350 SRW 4x4	F-350 DRW 4x4	F-350 DRW 4x4	F-450 DRW 4x4
ENGINE	AXLE RATIO	GCWR (LBS.)																		
6.2L 2-valve FFV	3.73	19,000	12,500	—	12,400	12,400	—	12,500	—	12,200	12,100	—	12,400	12,300	—	12,000	11,900	—	—	
	4.30	19,500	—	12,900	—	—	12,400	—	12,500	—	—	12,100	—	—	12,300	—	—	11,800	—	
		22,000	12,500	—	12,500	12,500	—	12,500	—	12,500	12,500	—	12,500	12,500	—	12,500	12,500	—	—	
		22,500	—	15,000	—	—	15,000	—	15,000	—	—	15,000	—	—	15,000	—	—	14,800	—	
6.7L V8 Turbo Diesel	3.31	23,500	12,500	—	12,500	12,500	—	14,000	—	14,000	14,000	—	14,000	14,000	—	14,000	14,000	—	—	
	3.55	23,500	12,500	—	12,500	12,500	—	14,000	—	14,000	14,000	—	14,000	14,000	—	14,000	14,000	—	—	
	3.73	30,000	—	15,000	—	—	15,000	—	15,000	—	—	15,000	—	—	17,500 ¹	—	—	17,500 ¹	—	
	4.30	33,000	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17,500 ¹	

¹Available early 2011.

2011 SUPER DUTY®

Specifications

ford.com



POWERTRAINS

	6.2L 2-VALVE GAS ¹	6.7L V8 TURBO DIESEL
Configuration	SOHC	OHV (32-valve)
Fuel injection	Sequential Electronic	High-Pressure Common-Rail
Engine control system	Electronic	Electronic
Induction system	Specially tuned	Single-Sequential Turbocharger; charged air cooler
Battery	12-volt; 650-cca/72-amp-hr	Dual 12-volt; 750-cca/78-amp-hr
Alternator	157-amp	157-amp (Single 200-amp or dual combined 357-amp, optional)
Cooling system	Pressurized series flow	Pressurized series flow
Oil-life monitor	Oil-minder system	Intelligent Oil-Life Monitor™
Cylinders	8	8
Cylinder head	Aluminum	Aluminum
Block material	Cast iron	Compacted graphite iron
Valve operation	Roller rocker shaft	Push rod/rocker arms
Camshaft drive	Silent chain	Gear
Bore/Stroke	4.02"/3.74"	3.90"/4.25"
Compression ratio	9.8:1	16.2:1
Horsepower/rpm	385 @ 5,500 ² /316 @ 4,179 ³	400 @ 2800
Torque lb.-ft./rpm	405 @ 4,500 ² /397 @ 4,179 ³	800 @ 1600
Recommended fuel	Regular unleaded or E85	Ultra-Low-Sulfur Diesel or B20 (containing 20% or less biodiesel)

¹Certified to SAE J1349. ²Under 10K GVWR. ³Over 10K GVWR.

MECHANICAL

FRONT SUSPENSION	
Type	Twin-I-Beam (F-250/F-350 4x2); solid Twin-Coil Monobeam axle (F-250/F-350 4x4, F-450 4x2 and 4x4)
Axle (rating @ ground)	5,250 lbs. (F-250/F-350 4x2); 6,000 lbs. (F-250/F-350/F-450 4x4)
Springs	Coil
Shock absorbers	1.38" gas type
Stabilizer bar	Standard
REAR SUSPENSION	
Type	Solid axle
Axle (rating @ ground)	6,200 lbs. (F-250); 7,280 lbs. (F-350 SRW); 9,500 lbs.(F-350 DRW); 9,500 lbs. (F-450)
Springs	Leaf
Shock absorbers	1.38" gas type
Stabilizer bar	Standard on DRW pickup; optional in package on SRW pickup
STEERING	
Assist	Power
Overall ratio	20.49:1 (F-250/F-350 4x2); 20.41:1 (F-250/F-350 4x4); 20.41:1 average (F-450)
BRAKES	
Type	4-wheel vented-disc ABS (standard)
Front (rotor diameter)	13.66" (F-250/F-350); 14.53" (F-450)
Rear (rotor diameter)	13.39" (F-250/F-350); 15.35" (F-450)
WHEELS	
Type	Steel or aluminum
Size	17," 18" or 20" (F-250/F-350); 17" (F-450)
Number of studs	8
Bolt-circle diameter	6.7" (170-mm) SRW; 7.87" (200-mm) F-350 DRW; 7.87" (200-mm) F-450

5TH-WHEEL TOWING — MAXIMUM LOADED TRAILER WEIGHT RATINGS (LBS.)

AUTOMATIC TRANSMISSION			REGULAR CAB							SUPERCAB						CREW CAB						
ENGINE	AXLE RATIO	GCWR (LBS.)	F-250 SRW 4x2	F-350 SRW 4x2	F-350 DRW 4x2	F-250 SRW 4x4	F-350 SRW 4x4	F-350 DRW 4x4	F-250 SRW 4x2	F-350 SRW 4x2	F-350 DRW 4x2	F-250 SRW 4x4	F-350 SRW 4x4	F-350 DRW 4x4	F-250 SRW 4x2	F-350 SRW 4x2	F-350 DRW 4x2	F-250 SRW 4x4	F-350 SRW 4x4	F-350 DRW 4x4	F-450 DRW 4x4	
6.2L 2-valve FFV	3.73	19,000	12,700	12,600	—	12,200	12,100	—	12,400	12,300	—	11,900	11,900	—	12,100	12,100	—	11,700	11,700	—	—	
	4.30	19,500	—	—	12,700	—	—	12,200	—	—	12,300	—	—	11,800	—	—	12,000	—	—	11,600	—	
		22,000	15,700	15,600	—	15,200	15,100	—	15,400	15,300	—	14,900	14,900	—	15,100	15,100	—	14,700	14,700	—	—	
6.7L V8 Turbo Diesel	3.31	23,500	16,500	16,500	—	16,100	16,000	—	16,200	16,300	—	15,700	15,700	—	16,000	16,000	—	14,300	15,600	—	—	
	3.55	23,500	16,500	16,500	—	16,100	16,000	—	16,200	16,300	—	15,700	15,700	—	16,000	16,000	—	14,300	15,600	—	—	
	3.73	30,000	—	—	22,600	—	—	22,100	—	—	22,000	—	—	21,600	—	—	21,800	—	—	21,300	—	
	4.30	33,000	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24,400	

MAXIMUM PAYLOAD WEIGHT RATINGS (LBS.)

	MAX. GVWR (LBS.)	REGULAR CAB 137.0" WB	SUPERCAB		CREW CAB	
			141.1" WB	158.0" WB	156.2" WB	172.4" WB
F-250 SRW 4x2	9,800	4,080	—	—	—	—
	9,900	—	3,790	—	—	—
	10,000	3,560	3,220	3,800	3,660	3,550
F-250 SRW 4x4	10,000	3,760	3,460	3,350	3,250	3,140
F-350 SRW 4x2	10,500	4,600	4,270	—	—	—
	10,700	—	—	—	4,260	—
	10,900	—	—	4,590	—	—
	11,000	4,450	4,110	—	—	4,430
	11,400	—	—	—	4,350	—
	11,500	—	—	4,470	—	4,260
F-350 SRW 4x4	11,000	—	—	4,230	—	—
	11,100	4,670	4,430	—	—	—
	11,200	—	—	—	—	4,220
	11,300	—	—	—	4,420	—
	11,500	4,500	4,180	4,040	3,990	3,770
F-350 DRW 4x2	13,300	7,070	—	6,640	—	6,400
F-350 DRW 4x4	13,300	6,580	—	6,190	—	5,970
F-450 DRW 4x4	13,300	—	—	—	—	5,200

WB = wheelbase

2011 SUPER DUTY®

Specifications

ford.com

