



Nissan NV2500 HD SV models shown in Radiant Silver

## 2012 NISSAN NV LINEUP

**INNOVATION THAT WORKS.** More than a van, it's a new way of doing business. We started by asking you what current vans do right, and what they don't. We listened. We learned. And then we really went to work. The result is the groundbreaking NV Lineup, with a choice of Standard and High Roof models and three different grades to match your needs. With powerful and reliable drivetrains and fully boxed full-length ladder frames, it's up for any job. With up to 323 cubic feet of cargo space and loaded with innovation from the biggest idea to the smallest detail, getting the job done has never been easier. It's time to rethink the way you do business, and time to put the Nissan NV Lineup to work for you.

All illustrations, photographs and specifications in this publication are based on the latest product information available at the time of printing. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models and to discontinue models or equipment. Specifications, options and accessories may differ in Hawaii, U.S. territories and other countries. For additional information on availability, options or accessories, see your Nissan dealer.



SHIFT\_the way you move

# FEATURES

|   | 1500 S  | 1500 SV | 2500 S | 2500 SV | 3500 S | 3500 SV |    |
|---|---|---------|--------|---------|--------|---------|----|
| <b>EXTERIOR</b>   | Standard Roof   |         |        |         |        |         |    |
|   | High Roof   |         |        | H       | H      | H       |    |
|   | Black grille  |         |        |         |        |         |    |
|   | Black door handles and outside mirrors  |         |        |         |        |         |    |
|   | Black bumpers   |         |        |         |        |         |    |
|   | Chrome grille   |         |        |         |        |         |    |
|   | Chrome door handles and outside mirrors   |         |        |         |        |         |    |
|   | Chrome bumpers  |         |        |         |        |         |    |
|   | Dual power outside mirrors  |         |        |         |        |         |    |
|   | Power heated chrome extendable tow mirrors  |         |        |         | T      | T       |    |
|   | 10 Roof rack mounting points (Standard Roof)  |         |        |         |        |         |    |
|   | 8 Roof rack mounting points (High Roof)   |         |        | H       | H      | H       |    |
|   | 50/50 Split rear cargo doors with opening locking feature                                 |         |        |         |        |         |    |
|   | Magnetic door locks (to secure open rear doors)   |         |        |         |        |         |    |
|   | 243° Maximum opening range for rear cargo doors   |         |        |         |        |         |    |
|   | Sliding side door on passenger side   |         |        |         |        |         |    |
|   | UV-reducing front windshield glass  |         |        |         |        |         |    |
|   | Rear window defroster   |         | R      |         | R      |         | R  |
|   | Halogen headlights  |         |        |         |        |         |    |
|   | Front and rear splash guards  | AC      | AC     | AC      | AC     | AC      | AC |
| 2 Front tow hooks   |   |         |        | T       | T      |         |    |
| Rear Sonar System   |   |         |        |         |        |         |    |
| Rear privacy glass  | R   | R       | R      | R       | R      | R       |    |
| Class IV tow hitch receiver                                       |   |         |        | T       | T      |         |    |
| <b>ENTERTAINMENT</b>  | AM/FM/CD audio system   |         |        |         |        |         |    |
|   | Radio Data System (RDS)   |         |        |         |        |         |    |
|   | MP3/WMA CD playback capability  |         |        |         |        |         |    |
|   | Auxiliary audio input jack  |         |        |         |        |         |    |
|   | USB audio input   |         | TP     |         | TP     |         | TP |
|   | Steering-wheel-mounted audio controls   |         |        |         |        |         |    |
|   | 2 Speakers  |         |        |         |        |         |    |
|   | 4 Speakers  |         |        |         |        |         |    |
|   | Satellite radio pre-wiring  |         | TP     |         | TP     |         | TP |
|   | XM® Satellite Radio¹  |         | TP     |         | TP     |         | TP |
| <b>INTERIOR</b>   | Nissan Navigation System with 5.0" color touchscreen monitor and XM NavTraffic²           |         | TP     |         | TP     |         | TP |
|   | Bluetooth® Hands-free Phone System  |         | TP     |         | TP     |         | TP |
|   | Air conditioning  |         |        |         |        |         |    |
|   | 36 Integrated reinforced cargo-mounting points for custom shelving                        |         |        |         |        |         |    |
|   | 11 Integrated reinforced cargo-mounting points for bulkhead partition                     |         |        |         |        |         |    |
|   | 10 Integrated reinforced mounting points in ceiling for interior ladder rack installation |         |        |         |        |         |    |
|   | 6 Floor-mounted D-rings in cargo area   |         |        |         |        |         |    |
|   | Pre-wiring for electrical upfitting   |         |        |         |        |         |    |
|   | 3 Cargo area work lights (1 on 1500)  |         |        |         |        |         |    |
|   | Vertical sidewall design  |         |        |         |        |         |    |
|   | Hardboard interior cargo panels   |         |        |         |        |         |    |
|   | Interior rearview mirror  | R       | R      | R       | R      | R       | R  |
|   | Rear cargo floor protector (optional on High Roof S)                                      |         |        |         |        |         |    |
|   | 5 Assist grips (4 on S models)  |         |        |         |        |         |    |
|   | Remote keyless entry  |         |        |         |        |         |    |
| Power windows with driver's one-touch auto-down with auto-reverse |   |         |        |         |        |         |    |
| Power door locks with auto-locking feature                        |   |         |        |         |        |         |    |
| Cruise control with steering-wheel-mounted controls               |   |         |        |         |        |         |    |
| Tilt steering column  |   |         |        |         |        |         |    |

|   | 1500 S  | 1500 SV  | 2500 S | 2500 SV | 3500 S | 3500 SV |    |
|---|---|--|--------|---------|--------|---------|----|
| <b>INTERIOR (cont.)</b>                                 | Variable intermittent windshield wipers   |  |        |         |        |         |    |
|   | Multi-functional trip computer with maintenance intervals   |  |        |         |        |         |    |
|   | Full-length overhead cabin storage shelving w/ map lights (High Roof)   |  |        | H       | H      | H       | H  |
|   | Multi-functional lockable center console with file and laptop computer storage with built-in clipboard holder |  |        |         |        |         |    |
|   | Driver's and passenger's under-seat slide-out storage trays   |  |        |         |        |         |    |
|   | Front-door map pockets  |  |        |         |        |         |    |
|   | 6 Cup holders   |  |        |         |        |         |    |
|   | 12-volt DC power outlet   |  |        |         |        |         |    |
|   | Two 12-volt DC power outlets  |  |        |         |        |         |    |
|   | Two 120-volt power outlets  |  |        |         |        |         |    |
|   | Rear door storage   |  |        |         |        |         |    |
|   | RearView Monitor  |  | TP     |         | TP     |         | TP |
|   | <b>SEATING</b>  | Gray cloth front seats with reinforced side bolster wear patches |        |         |        |         |    |
|   |   | Water-repellent seating surfaces                                 |        |         |        |         |    |
|   |   | 4-way manual driver's seat                                       |        |         |        |         |    |
| 4-way manual passenger's seat                           |   |  |        |         |        |         |    |
| 8-way power adjustable driver's seat with manual lumbar |   |  |        |         |        |         |    |
| Fold-down passenger's seat with seatback tray table     |   |  |        |         |        |         |    |
| <b>SAFETY/SECURITY</b>                                  | Driver and passenger dual-stage supplemental front air bags with seatbelt sensors                             |  |        |         |        |         |    |
|   | Driver's and passenger's seat-mounted side-impact supplemental air bags                                       | AB   | AB     | AB      | AB     | AB      | AB |
|   | Roof-mounted curtain supplemental air bags for side-impact and rollover head protection                       | AB   | AB     | AB      | AB     | AB      | AB |
|   | Vehicle Dynamic Control (VDC)   |  |        |         |        |         |    |
|   | Traction Control System (TCS)   |  |        |         |        |         |    |
|   | 3-point ALR/ELR passenger seat belt system (ELR for driver)   |  |        |         |        |         |    |
|   | Front seat belts with pretensioners and load limiters   |  |        |         |        |         |    |
|   | Passenger-seat top tether anchor  |  |        |         |        |         |    |
|   | Pipe-style steel side-door guard beams  |  |        |         |        |         |    |
|   | Zone Body construction with front and rear crumple zones  |  |        |         |        |         |    |
|   | Hood-buckling creases and safety stops  |  |        |         |        |         |    |
|   | Energy-absorbing steering column  |  |        |         |        |         |    |
|   | Steering wheel lock   |  |        |         |        |         |    |
|   | Break-away engine mounts  |  |        |         |        |         |    |
|   | Slide-away brake pedal assembly   |  |        |         |        |         |    |
| Tire Pressure Monitoring System (TPMS)                  |   |  |        |         |        |         |    |
| Vehicle Security System                                 |   |  |        |         |        |         |    |
| Nissan Vehicle Immobilizer System                       |   |  |        |         |        |         |    |

Standard
  Optional
  AC Accessory
  H High Roof
  TP Part of Technology Package
  AB Part of Side and Curtain Air Bags Package
  T Part of Towing Package
  R Part of Rear Door Glass Package

<sup>1</sup>XM Satellite Radio and XM NavTraffic require subscriptions sold separately after trial period. Subscriptions governed by XM Customer Agreement at xmradio.com. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. ©2010 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries.

<sup>2</sup>See Nissan Towing Guide and Owner's Manual for proper use.

<sup>3</sup>The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

All illustrations, photographs and specifications in this publication are based on the latest product information available at the time of printing. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models and to discontinue models or equipment. Specifications, options and accessories may differ in Hawaii, U.S. territories and other countries. For additional information on availability, options or accessories, see your Nissan dealer.

## DIMENSIONS



## SPECIFICATIONS

### EXTERIOR DIMENSIONS - INCHES

|                                  | STANDARD ROOF        | HIGH ROOF              |
|----------------------------------|----------------------|------------------------|
| Wheelbase                        | 146.1                | 146.1                  |
| Overall length                   | 240.6                | 240.6                  |
| Overall width (without mirrors)  | 79.9                 | 79.9                   |
| Overall width (with tow mirrors) | 102.8                | 102.8                  |
| Overall height                   | 83.9 (84.9 for 3500) | 105.0 (106.0 for 3500) |
| Track width (front)              | 68.7                 | 68.7                   |
| Track width (rear)               | 68.9                 | 68.9                   |
| Sliding door width               | 41.9                 | 41.9                   |
| Step-in height (front)           | 18.0 (18.7 for 3500) | 18.0 (18.7 for 3500)   |
| Step-in height (slide door)      | 19.4 (20.2 for 3500) | 19.4 (20.2 for 3500)   |
| Step-in height (rear)            | 19.8 (20.9 for 3500) | 19.8 (20.9 for 3500)   |
| Cargo area liftover height       | 28.5                 | 28.5                   |
| Angle of approach (degrees)      | 17.5°                | 17.5°                  |
| Angle of departure (degrees)     | 17.4°                | 17.4°                  |
| Turning diameter (ft.)           | 45.2                 | 45.2                   |

### INTERIOR DIMENSIONS - INCHES

|               | STANDARD ROOF | HIGH ROOF |
|---------------|---------------|-----------|
| Head room     | 42.8          | 63.6      |
| Leg room      | 42.0          | 42.0      |
| Hip room      | 60.6          | 60.6      |
| Shoulder room | 65.7          | 65.7      |

### CARGO DIMENSIONS - INCHES

|   | STANDARD ROOF | HIGH ROOF |
|---|---------------|-----------|
| Cargo volume (cu. ft.)  | 234.1         | 323.1     |
| EPA interior passenger volume (cu. ft.)                       | 68.3          | 101.5     |
| Total interior volume (cu. ft.)                               | 299.7         | 420.5     |
| Maximum cargo length  | 120.0         | 120.0     |
| Maximum cargo length behind center console at vehicle center  | 121.9         | 121.9     |
| Maximum cargo length without center console at vehicle center | 150.4         | 150.4     |
| Maximum cargo width   | 70.2          | 70.2      |
| Cargo width at wheelhouse floor                               | 54.3          | 54.3      |
| Maximum cargo height  | 55.8          | 76.9      |

### CAPACITIES

|                           | STANDARD ROOF     | HIGH ROOF         |
|---------------------------|-------------------|-------------------|
| Roof load capacity (lbs.) | 500               | 300               |
| Fuel tank (gals.)         | 28.0              | 28.0              |
| Engine oil (qts.)         | 5.4 (V6) 6.5 (V8) | 5.4 (V6) 6.5 (V8) |

### WEIGHT - LBS.

|      | 1500 S | 1500 SV | 2500 S | 2500 SV | 3500 S | 3500 SV |
|------|--------|---------|--------|---------|--------|---------|
| GVWR | 8550   | 8550    | 9,100  | 9,100   | 9,900  | 9,900   |

### CURB WEIGHT - LBS.

|                | 1500 S | 1500 SV | 2500 S | 2500 SV | 3500 S | 3500 SV |
|----------------|--------|---------|--------|---------|--------|---------|
| Std. Roof (V6) | 5,791  | 5,854   | 5,810  | 5,903   | -      | -       |
| Std. Roof (V8) | -      | -       | 5,874  | 5,967   | 5,878  | 5,971   |
| High Roof (V6) | -      | -       | 5,973  | 6,067   | -      | -       |
| High Roof (V8) | -      | -       | 6,046  | 6,139   | 6,050  | 6,143   |

### MAX PAYLOAD - LBS.

|                | 1500 S | 1500 SV | 2500 S | 2500 SV | 3500 S | 3500 SV |
|----------------|--------|---------|--------|---------|--------|---------|
| Std. Roof (V6) | 2,590  | 2,535   | 3,141  | 3,031   | -      | -       |
| Std. Roof (V8) | -      | -       | 3,086  | 2,976   | 3,925  | 3,747   |
| High Roof (V6) | -      | -       | 2,921  | 2,866   | -      | -       |
| High Roof (V8) | -      | -       | 2,866  | 2,755   | 3,637  | 3,582   |

### TOWING CAPACITY - LBS.

|                              |                    |
|------------------------------|--------------------|
| With standard bumper towing  | 2,000 <sup>1</sup> |
| With tow hitch receiver (V6) | 7,000 <sup>2</sup> |
| With tow hitch receiver (V8) | 9,500 <sup>3</sup> |

### DESIGNED FOR THE WAY YOU WORK

Nissan knows that your commercial vehicle is your business. Advertise on the road with vehicle graphics from Original Wraps. Organize your NV's cargo space to fit your needs with racks and bins from Adrian Steel. From the inside out, Nissan has all of the tools you need online.

Go to [nissancommercialvehicles.com](http://nissancommercialvehicles.com) to build your own.



<sup>1</sup>See Nissan Towing Guide and Owner's Manual for proper use.

<sup>2</sup>With available tow hitch accessory. See Nissan Towing Guide and Owner's Manual for proper use.

<sup>3</sup>Requires available Towing Package. See Nissan Towing Guide and Owner's Manual for proper use.

Cargo and load capacity limited by weight and distribution. Always secure all cargo. Do not place sharp objects or store objects in the front of the overhead compartment that exceed height of shelving lip. See Owner's Manual for details.

## SPECIFICATIONS (CONT.)

### ENGINE

VQ40DE – 4.0-liter DOHC 24-valve V6 engine

Standard on NV1500, NV2500 HD  
Horsepower – 261 hp @ 5,600 rpm  
Torque – 281 lb-ft @ 4,000 rpm

VK56DE – Endurance 5.6-liter DOHC 32-valve V8 engine

Standard on NV3500 HD, Optional on NV2500 HD  
Horsepower – 317 hp @ 5,200 rpm  
Torque – 385 lb-ft @ 3,400 rpm

Emissions – 50 State Emissions

Continuously Variable Valve Timing Control System (CVTCS)

Nissan Direct Ignition System

Electronic drive-by-wire throttle

Alternator (130 amps)

Iridium-tipped spark plugs

Heavy-duty battery (Part of )

### DRIVETRAIN

5-speed automatic transmission

Final gear ratio – V6 (3.36:1)

Final gear ratio – V8 (3.54:1)

2-wheel Active Brake Limited Slip (ABLS)

### WHEELS AND TIRES

17" x 7.5" steel wheels – Standard on NV1500 (S)

17" x 7.5" styled steel wheels – Standard on NV1500 (SV), NV2500 HD, NV3500 HD

LT245/70R17 all-season tires – Standard on NV1500, NV2500 HD

LT245/75R17 all-season tires – Standard on NV3500 HD

Full-size spare tire

### BRAKES

14.2" Front vented disc brakes

14.4" Rear vented disc brakes

4-wheel Anti-lock Braking System (ABS)

Electronic Brake force Distribution (EBD)

Brake Assist

### SUSPENSION AND STEERING

Front: Independent double-wishbone

Rear: Multi-leaf with solid axle

Front and rear stabilizer bars

Engine-speed-sensitive hydraulic recirculating ball steering

Full-length, fully boxed ladder frame

## PACKAGES

### TOWING PACKAGE (V8)

Power heated chrome extendable tow mirrors  
2 Front tow hooks with Tow Mode A/T  
Class IV tow hitch receiver  
7-pin connector pre-wiring  
Brake controller pre-wiring  
Heavy-duty battery

### REAR DOOR GLASS PACKAGE

Rear door windows with privacy glass  
Interior rearview mirror  
Rear window defroster (SV only)

### TECHNOLOGY PACKAGE WITH REARVIEW MONITOR (SV)

Nissan Navigation System with 5.0" color touch-screen monitor and XM NavTraffic®<sup>1</sup>  
AM/FM/CD/MP3 audio system  
USB and auxiliary audio ports  
XM® Satellite Radio<sup>1</sup>  
Bluetooth Hands-free Phone System  
RearView Monitor


### SIDE AND CURTAIN AIR BAGS PACKAGE

Driver's and passenger's seat-mounted side-impact supplemental air bags  
Roof-mounted curtain supplemental air bags for side-impact and rollover head protection




#### < Innovation that works.

The NV's truck-like design provides greater legroom, easier engine access and increased visibility. To help minimize the seats from fraying, a seat wear patch on both the upper and lower bolsters is made of heavy-duty vinyl.



< NV's 57 integrated reinforced mounting points combine with flat interior walls to help securely attach shelving and maximize cargo space. You can upfit specific to your needs without having to drill holes in your vehicle's body.



A fully boxed full-length ladder frame is at the core of every NV. Some of our competitors use 3-sided open "C" rails instead. You don't need to be a structural engineer to know the obvious: when building, four walls are stronger than three.



#### Largest brakes in its class. >

The NV Lineup features 4-wheel disc brakes with 14" front ventilated discs to provide maximum contact area for rapid heat dissipation, long-lasting durability and confident towing.



< The NV is your mobile office, with the only available center console in its class. Lockable, with room for hanging files or a laptop computer and a top that slides forward to be a convenient workdesk, it's a master multi-tasker.



< Stay connected. The NV features available technological solutions that integrate seamlessly with your workday including hands-free Bluetooth®, navigation, 120v outlets and USB inputs. Available steering-wheel-mounted controls keep phone and audio at your fingertips.



All illustrations, photographs and specifications in this publication are based on the latest product information available at the time of printing. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models and to discontinue models or equipment. Specifications, options and accessories may differ in Hawaii, U.S. territories and other countries. For additional information on availability, options or accessories, see your Nissan dealer.

At NissanCommercialVehicles.com, you'll find virtual product demonstrations, a way to "build your own Nissan," a dealer locator, and more information about key Nissan support services. Or if you'd prefer, call 1-800-NISSAN-3 for answers to specific questions about Nissan Commercial Vehicles or any other Nissan vehicle. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Motor Co. Ltd. and/or its North American subsidiaries. Tread Lightly!® Please. Always wear your seat belt, and please don't drink and drive. ©2011 Nissan North America, Inc.

**Buying and owning a Nissan is like driving one: quick, convenient, confidence-inspiring.**

**Nissan Motor Acceptance Corporation.** Whether you're buying or leasing, you'll find attractive rates and flexible terms to make your purchase more accessible.

**New Vehicle Limited Warranties.** Protection for your new Nissan includes 3-year/36,000-mile "bumper to bumper" basic coverage and 5-year/60,000-mile powertrain coverage.

**Genuine Nissan Parts.** When it comes time for service, any necessary replacement parts will be made using Genuine Nissan new or remanufactured parts, or Nissan-approved parts. And they're the only parts to carry Nissan's factory-backed limited warranty.

**Choose a dealer to buy your Nissan NV:**