

IT IS PERHAPS THE SMALLEST SPACE American breed of extraordinary. It's why we've created our own daring build. It takes tenacity, a refusal to leave well-enough alone. That is the school of design that bends steel way beyond its comfort zone. It's why we've pushed technology two generations ahead by pioneering a bold WAY TO GET THERE IS SIMPLY TO BELIEVE YOU CAN. with the flick of a finger. And why, in everything from safety just making luxury vehicles, and making Cadillacs. KNOWN TO MAN. At Cadillac, we've set out to create our own uniquely Eadillac




IF YOU'RE GOING TO MAKE A STATEMENT,











NÜRBURGRING'S FAMED KARUSSELL CORNER

the world's best. Not only did we set the standard for production sedan performance, we also brought a piece of the German 'Ring home with us. We recreated some of the most











ADRENALINE,



10-SPOKE WHEELS
The lightweight, forged aluminumwheels are paired with exclusive M
Pilot* Sport PS2** tires specifically
developed for the V.



CENTER-MOUNTED EXHAUST
The rear fascia center exhaust features
brilland throme-plated stainless steel tips,
a bold exclamation point to an already
powerful statement.





every dial meticulously designed and placed precisely where it should be. Available sueded microfiber accents on the


6-SPEED TRANSMISSION

A TREME® duminum-ally TR-0.00 6-speed manual gendros is standard designed with a short-throw shifter and dual-disc dutch. A 6-speed automatic, is available and incorporates steering wheel-mounted paddle shifters.

RECARO* PERFORMANCE SEATS

When pushing the performance envelope of
the V, you want to be firmly induced by our scat.

Available RECARO* front heated and ventriated
performance seating adjusts 14 ways with
presentate balester controls and establinal-length
adjusters. Providing confidence-inspiring support
for both the driver and front-sext passenger, it
was designed to fit you like a glove.



24 CTS-V SEDAN HIGHLIGHTS


WE CERTAINLY HOPE SO.



Stimulation this extraordinary should be shared. With its audacious 556 HP supercharged V8 engine and a 3.9-second 0-60 MPH time, this is the world's fastest production sedan. Every exacting detail of the CTS-V Sedan was designed and engineered for maximum performance. Its chassis, lowered by 10 mm in front and 16 mm in the rear compared to the CTS Sport Sedan to minimize air flowing underneath, is superbly controlled by the dual-mode Magnetic Ride Control. The bold front fascia was designed with an integrated splitter to improve aerodynamics, while vented ducts force-feed plenty of cooling air to the race-bred Brembo* high-performance brakes. Even the 10-spoke 19* aluminum-alloy wheels are forged for lighter weight. It's a world-class level of performance, and with four doors and a spacious rear seat, you can share the thrill with four very fortunate friends.







YOU MAY ASK, "WHY?"

WE ASKED, "WHY NOT?"









POWER LIFTGATE

The power liftgate can be programmed to suit virtually any height. Besides fully open, it can be set for a lower opening to avoid contact with a garage ceiling.

KEYLESS ACCESS / ADAPTIVE REMOTE START

By simply carrying a transmitter in your packet or purse. Kryless' Actees undocks the driver's door for you. Walk away and it locks all the doors. With Adantive Remote Start (automatic transmission models only), just press a button on the key fab, the lightlon starts the engine and also activates the climate control system to perfectly dailyst the interior temperature.

to turn the page. No other wagon boasts this combination of high-performance credentials, with a 556 HP the place of traditional bars, it all fuses into a seamless profile. In back, signature vertical LED taillamps intense. From the aggressive mesh grille to the boldly chiseled sheet metal and integrated roof rails that take



PROTECTIVE OF ITS OWNERS. IT'S EXTREMELY



placed crumple zones. Peace of mind also comes with six standard airbags 2 and a one-year

when a collision can't be avoided, we've engineered a rigid body structure and strategically

Control, an advanced antilock braking system (ABS), and all-speed traction control. But we add a rearview backup camera, Side Blind Zone Alert,¹ StabiliTrak Electronic Stability Active safety begins with a responsive engine, powerful brakes and an agile suspension. To these At Cadillac, we believe the best way to survive a collision is to avoid one in the first place.

ACTIVE FRONT-SEAT HEAD RESTRAINTS



RADIANT SILVER METALLIC

WHITE DIAMOND TRICOAT



A premium 2-layer point application with A meticulous 3-layer process that the addition of a linead clearcoat, lending results in a dramatic hue-shifting color, the finish an extra depth and brightness.



BLACK RAVEN

RED OBSESSION TINTCOAT

MAJESTIC PLUM METALLIC1.3

MOCHA STEEL2

INDIVIDUALIZED

INTERIOR THEMES.

Personalize your CTS-V with these unique interior combinations. Select highlights include rich, soft leather seating surfaces with sueded microfiber inserts, available Recaro® performance seats and beautifully grained Midnight Sapele wood trim.



Light Titanium seats with Light Titanium sueded microfiber inserts / Midnight Sapele Wood Trim³







Also available with Midnight Sapele Wood Trim.
RECARO "performance seats also available without Midnight Sapele Wood Tr
Also available without Midnight Sapele Wood Trim.

Ebony RECARO® performance seats with Ebony sueded microfiber inserts / Midnight Sapele Wood Trim²

Ebony seats with Ebony sueded microfiber inserts¹





Ebony RECARO® performance seats with Saffron sueded microfiber inserts⁴/ Midnight Sapele Wood Trim









19-10-SPOKE PAINTED
ALUMINUM ALLOY WHEELS
Standard on all Yselies and includes
Mitablin" Plot Sport S2" thes
V-Sedan and V-Wagan Sizes:
19-x-9-front with P285/458.19 thes
19-x-9-frear with P285/358.19 thes
V-Couns Sizes:

V-Coupe Sizes: 19" × 9" front with P255/40R19 tires and 19" × 10" rear with P285/35R19 tires



19" 10-SPOKE POLISHED
ALUMINUM ALLOY WHEELS
Available on all V.Series and Includes
Michelin® Pilot® Sport PS2® tires
V. Sedan and V.Wagon Slzes:
19" × 9" from with P285/49R19 tires and
19" × 9.5" rear with P285/35R19 tires

V-Coupe Sizes: 19" × 9" front with P255/40R19 tires and 19" × 10" rear with P285/35R19 tires



CADILLAC SHIELD

THE STANDARD OF LUXURY OWNERSHIP



WARRANTY PROTECTION

Cadillac's & yaor or 70,000 mile* Powertain Warranty offers mance yaor san dimiles standard than 8MW and Marcades Benz, In addition, our 4 year or 50,000-mile Bumper to Bumper Warranty cover s explains on your entire vahicle, in mediding parts and abor, to correct problems in materials or wooknamaship.



Oň

SECURITY BY ONSTAR

DIAGNOSTICS BY ONSTAR

With best in-class diagnostics from OnStar's maintaining your Cadillac can be as simple as thecking your e-mail or your OnStar RemoteLink** mabile app. Every month, you can receive an e-mail with the status of key operating systems or push your OnStar button for a real-time diagnostics theek on demand.

Care Maintenance program, Cadillac Shield gives luxury owners everything they need.

comprehensive suite of owner benefits offered by any luxury automotive brand in the world. The result is Cadillac Shield, and it backs every vehicle we sell. Cadillac Shield is the most We set out to create the ultimate customer experience that exceeds every luxury vehicle brand

From innovations like Remote Vehicle Diagnostics and advanced mobile apps to our Premium

PREMIUM CARE MAINTENANCE



ROADSIDE ASSISTANCE

Cadillac offers more years of Roadside Assistance standard than any leading luxury brand, with services for 6 years or 70,000 miles? The program provides lockout, towing, refueling, Dealer Technician Roadside services, and more.



COURTESY TRANSPORTATION

This Cadillac program provides alternate transportation and/or reimbursement of certain transportation expenses if your Cadillac requires warranty repairs for 6 years or 70,000 miles! That is more years of service standard than any luxury automaker.





NAVIGATION BY ONSTAR

Just push the OriStar⁴ button and an Advisor can download voice-guided turn-by-turn directions to your Cadiliac, and a voice will call out every turn or send them to your navigation system, if equipped You can also plan routes using MapQuest.com* and send



CONNECTIONS BY ONSTAR

Available Hards: Free Calling capability from OxStar A illows you to make and receive calls sofely from your Cadillac. With the On Star Remote Link mobile app, you can access real-time information and control your Cadillac from anywhere you have cell phane service. Now you can even find a destination with Remote Link and send directions right to your webicle.







EMERGENCY BY ONSTAR

connected in to your Cadillac to see if you need help sent to your exact location. Other OnStard emergency services include Injury Severity Predictor and First Assist, which ensure you quickly get the help you need when seconds matter most. All Cadillac models come with 1 year of OnStar service standard.







The ingenuity of the CTS-V doesn't stop with the vehicle. As a Cadillac owner, an advanced compliance of the compliance

DIMENSIONS	FRONT REAR	REAR	CAPACITIES
Head room	36.9"	34.6"	Cargo volume 10.5 cu. ft.
Hip room	54.5	47.7	
Shoulder room	56.0	50.9	THE TOTAL SEPTIMENT AND A
POWEKIRAIN			
6.2L supercharged V8 HOR SEPOWER			
556 @ 6,100 rpm FORQUE			
COMPRESSION RATIO			
VALVETRAIN Overhead valve, two valves/c	two valves/cylinder; 12.2 mm lift	nm lift	
IGNITION SYSTEM Direct-mount ignition coils; extended-life dual platinum-tipped spark plugs	extended-life d	ual platinum-t	tipped spark plugs
FIRING ORDER 1-8-7-2-6-5-4-3			
BORE × STROKE (MM) 103 × 92			
FUEL SYSTEM Sequential fuel injection			
B LOCK Cast aluminum			
CALINDER HEAD Cast aluminum			
CRANKSHAFT Steel, 8-bolt flange			
CAMSHAFT Hydraulic roller-type, low lift	~		
CONNECTING RODS Forged powder metal			
A DDITIONAL FEATURES Pan-mounted oil cooler; cast	pistons; high-	flow cylinder h	pistans; high-flow cylinder heads; black-mounted pistan squirters; close-mounted converters; acoustic engine cover; E67 engine contr
FRANSMISSION, AUTON 6-speed automatic transmiss 6-speed automatic transmiss	MATIC ion is available	with torque o	TRANISMISSION, AUTOMATIC Speed automatic transmission is available with torque converter dutch, performance shifting and clutchless manual operation using Driver Shift Control with stee Coar Defines 18 4 6 77 346 7 347 434 418 418 418 6 86 486 0 67 Bowerer 9 06 Final Driver 9 99
TRANSMISSION, MANU, 6-speed TREMEC TR-6064 Cear Ratios - 1st: 2,66: 2nd	4L Dmanual 1.78: 3rd: 1.3	0; 4th; 1,00; 5	TRANSMISSION, MANUAL Case TRIME 0" TRANSO manual Case TRIME 0" TRANSO manual 34 1,304 4th; 1,005 4th; 0,805 6th; 0,625 Reverse: 2,405 Final Drive; 3,73
CHASSIS AND SUSPENSION	SPENSIO	Z	
CHASSIS Performance rear-wheel drive system	esystem		
BRAKES High-performance aluminum with vented 370 mm two-piec	6-piston front, 2e rotors front	4-piston rear o	BAIKES High-performance aluminum 6-piston front, 4-piston rear caliper (sliver finish with black Vaccents), Brembo®disc brakes with waned 370 mm two-piece rators front, 365 mm rators rear; power-assist with 4-plannel anti-lock brake system
ELECTRONIC STABILITY CONTROL SYSTEM StabiliTrak, 4-channel, computer-controlled, four driver-selectable modes	Y CONTROL outer-controlle	SYSTEM d, four driver-s	selectable modes
LIMITED-SLIP DIFFERENTIAL With axle positraction	ENTIAL		
PERFORMANCE-TUNED Front: Independent, short/lon Rear: Independent, short/lon	DUAL-MOD 19 arm; 29 mn 19 arm; 25.4 m	E MAGNETI n hollow stabili m solid stabili	PERFORMANCE-TUNED DUAL-MODE MAGNITIC RIDE CONTROL SUSPENSION Front: Independent, short/beg.arm.29 mm bilbos sabilbat bur, ebistemeric handling boshings and bydraulic ride bushings; 65-Nimm spring rate Rear: Independent, short/beg.arm.25 arm maid stabilate fair, ebistemeric failanding bushings; 30-Nimm spring rate Rear: Independent, surfung arm.25 arm said stabilate fair, ebistemeric failing in the bushing; 30-Nimm spring rate
STEE KING ZF Servotronic* 2, speed-sensitive, power-assisted rack-and-pinion; variable ratio TR 4 0 TION CONTROL SYSTEM	sitive, power-	assisted rack-a	and-pinion; variable ratio
All-speed with brake and engine intervention WEIGHT DISTRIBUTION	ine intervention	nc	
EXTERIOR FEATURES	RES		
GRILLE Wire mesh			
LIGHTING Daytime running lamps with Telegraphic and windshield wiper activation	vilight Sentine ın and headlam	l automatic ope pwashers; Ada	LIGHTING. DayLine running lamps with Twilight Senthel automatic operation, Xeron High-Intensity Discharge (HID) headlamps with flash-to-pass and windsheds wiper activation and headlamp washere; Adaptive Forward Lighting folgamps; illuminated entry; ED ballamps
MIRRORS Driver and passenger, heatec	l, power-adjust	able and manı	passenger, heated, power-adjustable and manual folding, with memory
SPOILER			
TIRE PRESSURE MONITORING SYSTEM	ORING SYS	TEM	
19" 10-spoke painted alumin	um alloy whee	ls, includes Mi	THE CLS 197-10-spoke painted aluminum alby wheels, includes Michelin® Pibt® Sport PS2™ tires WLDEDS





I WIL EN VOIR TEAR VOIRES ADA PTIVE REMOTE START Activats Reprofessions of requireed, climate control system and rear-defraster (rot available with despeed manual transmission)
AIR FILTRATION SYSTEM AIR FILTRATION SYSTEM
omer addring basenger nammbat, rasenger seising Steinframer and not passenger sciendantes specimbat nammbat ad pennipadeutor, inspecimbat neutron australia is boeinbat. ARM REST Canter Dest
AUDIO SYSTEM CD Dater with Disspander Base* surround sound system, MP3 player, 10 GB for music storage, AudioPilot noise compensation, RDS: and USB audio connectivity?
BLUETOOTH® FOR PHONE INTERFACE* Hands-free-calling for cell phones
CLIMATE CONTROL Dual-bane annualic dectronic climate control with individual settings for driver and from passenger, outboard sucks adjustable for additional side-window de logging; electronic roan-window de logger CONSOLE
Pour de airc floer console with shifter, integrated armrest, storage, and rear console with cupholders result enter transport. result enter transport.
Retroit, with set and resume speed
ELECTRIC PARKING BRAKE
KEYLESS ACCESS Passiveentry on front doors
LIGHTING Ambient interior with LED spotlights and lighting pipes, illuminated entry
MEMORY Preset for two drivers, includes 10-way power driver seat, outside mirrors, and power steering column
MAY 64T DV. 64 I DF-UP
O INCLUSES & GRAGOTAL GURES - DE CONTROLLES
ION CAM n the naviga
SEATING 4 passenger (2+2 seating); front heared backet keather seating surfaces with sunderindred floer inserts; 10-way power driver and front passenger seat, including,2 way power driver and front passenger lumbar controls; glicholding car seat; rear capitolisis
SIDE BLIND ZONE ALERT: Notifies you with visual cures if It detects a webicle entering into your blind spots
Sintus XM RAD 101 With three trial months
FOREKING COLUMN FOREKING COLUMN
STEERING WHEEL Loathe-frimmed, lik wheel adjustable with fingertip controls for audio system, traction control, cruise controls and Bluetooth phone interface
HEFT - DIE RREIN'S SYSTEM PASS-key III + Immobilier; audible ontent bleit-deterreit system HITPAS-Koylic READ RADE ASSIST
WISH AND REMOTE WISH AND REMOTE
3-channel gogyammable 13-thannel gogyammable 11115188
WI NO OWS Power with express-up and -down
OPTIONS
BRAKE CALIPERS Brembo, yelbw with black Vaccents or red with gray V accents
REGINA BLOCK HALLEK PERFORMANCE SEATION LASSENDE RECARD MANOCHFORMICS SAIS WITH SOOT All INVOCATS Venificated with an address the Seating Management of the Seating Management
SPORT BLUE INTERIOR PACKAGE Midnight Sapele wood trin, succled steering wheel rin and shift knob, RECARO® 14-way performance seats, Twilight Blue leather seating surfaces with succled fabric inserts
SVED ED MICROFIBER ACCENTS On steering wheel and shift knot
SUNROOF Power tilt with sunshade
TIRE INFLATOR KIT WHEELS
19 10-spoke polished sluminum alloy satis graphte wheels, includes Michelin® Pilot® Sport PS2" tires 19 10-spoke aluminum alloy satis graphte wheels, includes Michelin® Pilot® Sport PS2" tires
WAAA TAM

DIMENSIONS	FRONT	REAR	CAPACITIES
Head room	38.8	37.2"	Cargo volume 13.6 cu. ft.
Leg room	42.4	36.1	Fuel (gal, approx.) 18.0
Shoulder room	56.7	54.7	
POWERTRAIN	ı	ı	
6.2L supercharged V8			
#OR SEPOWER 556 @ 6,100 rpm			
TO RQUE 551 lbft. @ 3,800 rpm			
COMPRESSION RATIO 9.1:1 nominal			
VALVETRAIN Overhead valve, two valves/c	two valves/cylinder; 12.2 mm lift	mm lift	
IGNITION SYSTEM Direct-mount ignition coils; extended-life dual platinum-tipped spark plugs	extended-life	dual platinum-	-tipped spark plugs
FIRING ORDER 1-8-7-2-6-5-4-3			
BORE × STROKE (MM) 103 × 92			
FUEL SYSTEM Sequential fuel injection			
BLOCK Cast aluminum			
CYLINDER HEAD Cast aluminum			
CRANKSHAFT Steel, 8-bolt flange			
CAMSHAFT Hydraulic roller-type, low lift	-		
CONNECTING RODS Forged powder metal			
A DDITIONAL FEATURES Pan-mounted oil cooler; cast i	pistons; high	-flow cylinder	pistons; high-flow cylinder heads; block-mounted piston squirters; close-mounted converters; acoustic engine cover; E67 engine controller
TRANSMISSION, AUTOMATIC 6-speed automatic transmission is an Gear Ratios — 1st: 4.02; 2nd: 2.36; 3	#ATIC lion is availab : 2.36; 3rd; 1	le with torque . 53; 4th: 1.15;	ARKSMISSION, AUTOMATIC ARKSMISSION, AUTOMATIC General and a common a
TRANSMISSION, MANUAL 6-speed TREMEC® TR-6060 ma Gear Ratios – 1st: 2.66; 2nd: 1.7	4L 0 manual : 1.78; 3rd: 1	.30; 4th: 1.00;	A AKSM ISS DON, MAKUUL. 6-speed TREGNEC ¹¹ TR-6-060 manual 1-0ar Tantos – 147. 2-65 , 2nd 1.178, 3nd: 1.30, 4th: 1.00, 5th: 0.60; 6th: 0.63; Reverse: 2.90; Final Drive: 3.73
CHASSIS AND SUSPENSION	SPENSIC	N	
Performance rear-wheel drive system	esystem		
High-performance aluminum with vented 370 mm two-pie	6-piston fron ce rotors front	t, 4-piston rear , 365 mm roto	MANKES WANKES WITHING THE MANKES WAS A STATE OF THE MANKES WAS A STATE OF THE MANKES WAS A STATE OF THE MANKES WITHING THE MANKES WAS A STATE OF THE
ELECTRONIC STABILLIT CONTROL STSTEM StabiliTak, 4-channel, computer-controlled, four driver-selectable modes LIMITED-SLIP DIFFERENTIAL	outer-controll	ed, four driver	-selectable modes
PERFORMANCE-TUNE D Front: Independent, short/lor Rear: Independent, short/lor	DUAL-MOL ng arm; 29 m ng arm: 25.4	DE MAGNET m hollow stabi mm solid stabi	<u>TANIA DER SOMMENDE.</u> PERFORMANCE TUPLE D DUAL-MODE MAGNETIC RIDE CONTROL SUSPENSION FOR Lindopendent, Spetting arm. 29 mm follow stabilize bar, elastemetric handling business and bytaling the bashings, 65-Nimm spring rate foot Lindopendent, Spetting arm. 29 mm follow stabilizer bar, elastemetric handling business and bytaling recision at a foot Lindopendent, Spetting arm. 29 mm seld stabilizer bar bashometric handling business and business, 65-Nimm spring rate foot Lindopendent, Spetting arm. 29 mm sellow stabilizer bar business and sellow stabilizer bashometric handling business and sellow stabilizer bar business.
STEERING ZF Servotronic* 2, speed-sensitive, power-assisted rack-and-pinion; variable ratio TRACTION CONTROL SYSTEM	nsitive, power	-assisted rack	cand-pirion; winable ratio
WEIGHT DISTRIBUTION 54/46 front/rear			
EXTERIOR FEATURES	RES	ı	
LIGHTING Daytime running lamps with T and windshield wiper activation	wilight Sentin on and headlan	el automatic op npwashers; Ad	LICHTING Day internaning lamps with Trillight Seminel automatic-operation, Xenon High-Intensity Discharge (HID) healthumps with Kuch-to-pass and windsteld video activation and healthum winders; Adaptine Formand Lighting: Operating, Illuminated entry, LID talkings
MIRRORS Driver and passenger, heated	d, power-adju	stable and mar	passenger, heated, power-adjustable and manual folding, with memory
SPOILER Integrated with CHMS	3		
TIRE PRESSURE MONITORING SYSTEM	ORING SYS	TEM	
19" 10-spoke painted alumin WIPERS	um alloy whe	els, includes M	39" 10 spoke painted aluminum alby wheels, includes Michelin® Pilot' Sport PS2" tires WIPERS





72.5'
INTERIOR FEATURES
Autherite Gemette Sikker Autheris Reindefertlichs dast (Tequipped), climate control system and reur defroster (not available with 6-speed manual transmission) AIR FILTRATION SYSTEM
HREAGS. Dhe and fort passenger fortilingset; Passenge Sensity System; driver and fort passenger seat-mounted side-impact for thomas and policiprotection; first-become-row outboard head-curtain side-impact REPURCES. REPURCES.
AUDIO SYSTEM CD Dalyer with Dispeaker Base* surround sound system, MP3 player, 10 GB for misck storage, Audio Plot noise compensation, NBS and USB audio connectivity*
habida fee diling to dilabera. La dell'esta d
CONSOLE Front center floor console with shifter, integrated armrest, storage, and cupholders
CRUISE CONTROL Electronic, with set and resume speed
DRIVER INFORMATION CENTER
KEYLESS ACCESS Passiveenity on both front and rear doors
LIGHTING Amblent interior with LED spotlights and lighting pipes, illuminated entry
ME NORY Prosets for two drivers, includes 10-way power driver seat, outside mirrors, and power steering column https://doi.org/10.1006
Automati-Camman cawneum mitrow with Unistan controls NAVIGATION, CILDE: UP: Include & Calmon Little Count to the Accresion with waiter and took middle Country of the Cou
ONSTAR* Standard one-year Directions & Connections Plan
REAR VISION CAMERA Displays on the navigation screen
S-SATING Spanning-front heated bucket leather seating surfaces with sucked microfiber inserts; 10 way power driver and front passenger seat, including 2-way power driver and finant passenger inserts.
SkrijsKM RADIO' Stromber Halmont's Stromber Administration
Parameter Availability (Company) STEERING MHEEL STEERING MHE
THEFT DETERRENT SYSTEM PASS-key III + immobilizer; audible content theft-deterrent system
ULTRASONIC REAR PARK ASSIST With audible warning
UNIVERSAL HOME REMOTE 3-channel programmable
VISORS Ulburnhaded vanity mirrors, driver and front passenger
WIND OWS We spress-up and -down on driver and front passenger side windows; rear windows express-down; rear passenger windows with child lockout system
OFTICALS
BRAKE CALIPERS Bremon, yelbur with black Vaccents or red with gray Vaccents
ERWINE BLUCK HEAVEK PERFORMANCE SEATING PERFORMANCE SEATING
SUEDED MICROFOREE ACCENTS On Steering wheel and shift knob
ULTRAVIEW SUHROOF Power, this didning, electric with express-open and power sunshade
TIRE INFLATOR KIT WHEELS
19° 10-spoke polished aluminum alloy wheels, includes Michelin "Pilot" Sport PS2" tires 19° 10-spoke aluminum alloy sath graphite wheels, includes Michelin "Pilot" Sport PS2" tires
WOOD TRIM

POWERTRAIN
EKOINE 6.2L superthaged V8
HORSEPOWER 556 @ 6,100 ppm
TORQUE 551 b.4t. @ 3,800 rpm
COMPRESSION RATIO 9.1:1 rominal
VALVETRAIN Overhead valve, two valves(sylinder; 12.2 mm lift
IGNITION SYSTEM Direct-mount fignition coils; extended-life dual platinum-tipped spark plugs
FIRING ORDER 187.26543
BORE × STROKE (MM) 103 × 92
FUEL SYSTEM Sequential fat Holection
BLOCK Cast aluminum
CYLINDER HEAD Cast aluminum
CRANKSHAFT Steel, 8-bot It lange
CANSHART HAMAILE (Older) ppe I low lift
CONVECTING RODS Forest conder metal
ADDITIONAL FEATURES Remounded of coller; cast bigkers, high-flow cylinder heady, block-mounted giston squirters; close-mounted converters; acoustic engine cover; ES7 engine controller TEALERS COLLEGE COLLEG
Speed automatic transmission is available with tonue converter clutch, performance shifting and clutchless manual operation using Driver Shift Control with steering wheel-mounted paddle shift control bear Patrick 1.1.4.4 (0); Pair 2.36; 304; 1.35; 4th: 1.15; 5th: 0.85; 6th: 0.67; Reverse 3.06; Final Driver 3.23 TRANSMISSION AND AND AND AND AND AND AND AND AND AN
Gear Ratios — 1st : 2.66; 2nd: 1.78; 3nd: 1.30; 4th: 1.00; 5th: 0.80; 6th: 0.63; Reverse: 2.90; Final Drive: 3.73
CHASSIS AND SUSPENSION
Performance real-vilved drive system Performance real-vilved drive system Boundaries were aliminism. 6- effect from 4-vilve very explore follow finish with Navk U records). Boundaries have Halloward markets.
with wheld 370 mm bac-plete priors from 3,555 mm refer regress yourse sacist with 4-channel anti-lock backe-grizen LECTROUND STABULITY CONTROL SYSTEM. CENTROUN STABULITY ON ONTROL SYSTEM and Absence for the channel and back backe-grizen CENTROUND A Absence convenies conferred for an Absence for the channels.
LIMITED-SLIP DIFFERENTIAL With axie postraction
PERFORMANCE-TUNED DUAL-VADOE MACHETIC RIDE CONTROL SUSPENSION Fant: Independent, Shrifting arm; 23 minhilina validizer har sekstemeric handling bashings and by Mariante ride bushings; 65-14mm spring rate Rear: Independent, Shrings arm; 24 mm pold as stabilize har pekstemeric falling blushings; 30-14mm spring rate
ZE RANGO Z., poed-sensitivo, power-assisted rack-and-pintony variable ratio ZE Senvironic Z., poed-sensitivo, power-assisted rack-and-pintony variable ratio ZE ALTION CONTROL SYSTEM ZENVIRON CONTROL SYSTEM
WEIGHT DISTRIBUTION 5149 fronthear
EXTERIOR FEATURES RALLE WINDOWS
LOFFTING Digitare maning lamps with Twilight Seniated automatic operation. Xenon High-Intensity Discharge (HID) headstungs with flash-to-space and windshield viger activation and flood amprovadeurs; Matgride Forward Light my Englangs; Mulminated entry, LED tallumps.
Brieg and passenger, heated, power stjustable and manual folding, with memory FURDING TEXALITY TIPS
TIRE PRESSURE MONITORING SYSTEM
WHEELS WEEN painted aluminum alby wheels, includes Middelin [®] Pilot [®] Sport PS2 [®] tires WHO 2.0s spoke painted aluminum alby wheels, includes Middelin [®] Pilot [®] Sport PS2 [®] tires
Automatic Rainsense wipers with moisture detection





IN LEKTUR KEAT JUKES ADAPTIVE REMOTE START Activates benedventated valus (fequipped), climate control system and near defrester (cd. available with 6-speed manual transmission)
AIR FILIRATION SYSTEM
have a diferent passenger front-impact, Passenger Sensing System, driver and front passenger seat-mounted side-impact for thorax and pelvic protection, first-becond-revioubband had-currain side-impact. ANAMERSY Control Front and days
AUDIO SYSTEM CD player with In-Supeaker Brae ^{ns} surround sound system, MP3 player, 10 GB for music storage, Audio Plot noise compensation, RDS and USB audio connectivity
HANDS FICKER TOWNER IN EXTRACE CLIMATE CONTROL
Lual-come automatic electronic ci mate control with notivodat settings for oniver also trota passenger, outdours others, adjustatie for additional side-window detelliging, electronic retar-window betoger. Final source. Final source. Final source automatic electronic ci mate control with notivodata settings for control passenger, outdours others, adjustatie for additional side-window detelliging, electronic retar-window betoger.
CRUISE CONTROL CRUISE CONTROL Extraction with set and resume soxed
DRIVER INFORMATION CENTER
ELECTRIC PARKING BRAKE
KEYLESS ACCESS Passive entry on both front and rear doors
LIGHTING Ambient interior with LED spotlights and lighting pipes, illuminated entry
PRESETS for two drivers, includes 10-way power driver seat, outside mirrors, and power steering column
MIRK OR Automatic-dimming rearview mirror with OnStar controls
MAVIGATION, GLIDE-UP ³ Includes 8' diagonal glide-up touch-screen with voice and text quidance
SHSSTAR* OPERATIONS & Connections Plan
Delahys on the analystan screen
S PARING Spassenger, from the ated bucket leather seating surfaces with sucket microfiber inserts; 10 way power driver and from passenger seat, including 32 way power driver and from passenger seat,
SinrusXM RAD101 With three trial months
STEERING COLUMN Power-tit wheel, telescoping
STERRING WHEEL Leather-trimmed, tilt wheel-adjustable with fingertip controls for audio system, traction control, cruise controls and Bluetooth' phone interface
HEFT-DETERRIN'S SYSTEM PASS-key III + Immobilizer, audible content bleft-deterrent system HEFT-DETERRING DETERRING DE
Ultra-polity regar rans assass
3-chamel programmable
VISORS Illuminated vanity mirrors, driver and front passenger
NA INDO DAYS. Though with express-up and-down on driver and front passenger side windows, rear windows sepress-down; tear passenger windows with child bedout system.
OPTIONS OPTIONS
Brenba, yelbu with black Vaccents or red with gray V accents Reinba, yelbu with black Vaccents or red with gray V accents
PERFORMANCE SEATING Venithing driver and from cassenaer RECARO® J4-way performance seats with soort allow peddis
SUEDED MICROFIBER ACCENTS On steering wheel and shift kndb
ULTRAVIEW SUNGROF Power UII-sluting, electric with express-open and power sundhade
THE INCLUDE KIT
197 10-sjoke polišied aluminum alloywibeels, includes Michelin [®] Figur [®] Sport PS2 [®] Hers.
UP 10-50ca aluminum alloy s am grapinte wieeds, includes Michelin" Priot" Sport PSZ "Tires WOOD TERM



ABOUT THIS CATALOG

ENGINES Cadillac po suppliers to GM worldwide

THE SEALANT AND COMMRESSOR KIT Structure the displaced of the transministration the retroit or manifested scale for inspection and report account possible but at least within 30 miles of devium, The time scaling counts and and inflate sidewall demangs purchased singer time 12 and highly for 10 for inflate numerical from the wheel. The scalent can only be used on one time one time deligned is comercious datas.

ASSEMBLY Codillac vehicles and their components are assembled or produced by different operating units of General Motors, its subsidiaries or suppliers to 64 workside. We sometimes find it necessary to produce Codifice vehicles that offerent or differently secred components than depically scheduled. Since some aptions may be unavailable when your which it assembled, we suppose that you verify that your vehicle includes the explanent you ordered or, if there are changes, that tray are acceptable to you.

UPDATED SERVICE INFORMATION Cadillac dealers receive useful service builetins about Cadillac products. You may purchase them from Helm Incorporated by calling 1-800-551-4123 or by visiting www.helminc.com.

NEW-VEHICLE LIMITED WARRANTY World-class coverage comes standard on every 2013 Cadillac. This warrandy is for Cadillac vehicles registered in the U.S.A. See your

COVERED FOR 6 YEARS/70,000 MILES (WHICHEVER COMES FIRST) Powertrain Limited Warranty with no deductible, Roadside Assistance Program!

COVERED FOR 4 YEARS/50,000 MILES (WHICHEVER COMES FIRST) Bumper-to-Bumper coverage; Tires - Defects in material and workmanshig; Repairs made to correct any vehicle defect; Cornolion on body sheet metal panels.

RUST THROUGH PROTECTION Coalliac vehicles are designed and built to resist corrosion and rust-through corrosion. Any body sheet metal that rusts through (in the form of an

FLEET ORDERS Some standard content may be deleted with fleet ords.
See dealer for details.

SCAN TO LEARN MORE ABOUT THE 2014 CTS-V SERIES



